

# SATELLITE DUO CRAB

Satellite 550 duo crab



Satellite 600 duo crab



Baule da tetto dal profilo affusolato ed aerodinamico dotato di sistema antifurto integrato. Montaggio rapido e semplice tramite supporti con chiusura a tenaglia<sup>[1]</sup> che abbracciano il profilo esterno delle barre da tetto. La presenza della serratura in versione *Duo*<sup>[2]</sup> consente di aprire il baule da entrambi i lati, per un accesso al carico più agevole.


Roof box with a streamlined, aerodynamic profile and integrated anti-theft system. Quick and easy to install using clamp-on supports<sup>[1]</sup> that grip the outer profile of the roof bars. The *Duo*<sup>[2]</sup> lock allows the box to be opened from both sides for an easier access to the stored cargo.



[1]



[2]



| Modello<br>Model                                                  | Satellite 550 duo crab                        | Satellite 600 duo crab                        |
|-------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| Codice articolo<br>Product code                                   | 000169300000                                  | 000169200000                                  |
| Peso prodotto (kg)<br>Product weight (lb)                         | 17,8 kg<br>39.2 lb                            | 18,4 kg<br>40.5 lb                            |
| Materiale<br>Material                                             | Abs                                           | Abs                                           |
| Portata massima (kg)<br>Max load (lb)                             | 75 kg<br>165 lb                               | 75 kb<br>165 lb                               |
| Serratura antifurto<br>Anti-theft lock                            | Lato destro e sinistro<br>Left and right side | Lato destro e sinistro<br>Left and right side |
| Dimensioni esterne (L x H x W)<br>External dimensions (L x H x W) | 1980 x 360 x 940 mm<br>78 x 14.2 x 37"        | 1976 x 467 x 941 mm<br>77.7 x 18.4 x 37"      |
| Dimensioni interne (L x H x W)<br>Internal dimensions (L x H x W) | 1909 x 310 x 824 mm<br>75.1 x 12.2 x 32.4"    | 1909 x 406 x 881 mm<br>75.1 x 16 x 34.6"      |

## Barre da tetto compatibili Compatible roof bars




|   |              |               |
|---|--------------|---------------|
|   | X            |               |
|   |              |               |
|   | Min          | Max           |
| Y | 25 mm / 1"   | 30 mm / 1.2"  |
| X | 30 mm / 1.2" | 115 mm / 4.5" |

|  |              |              |
|--|--------------|--------------|
|  | L            |              |
|  |              |              |
|  | Min          | Max          |
|  | 535 mm / 21" | 865 mm / 34" |


# Sistemi di montaggio opzionali

## Optional fixing systems

**Kit 000173700000**  
Montaggio con vite TQ  
T-screw fixing system




|          |                    |
|----------|--------------------|
| <b>X</b> | Min. 8,5 mm / 0.4" |
| <b>W</b> | 20 mm / 0.8"       |




|                |                |
|----------------|----------------|
| <b>Min</b>     | <b>Max</b>     |
| 570 mm / 22.4" | 830 mm / 32.7" |

**Kit 000173700000**  
Montaggio con supporti ad U  
U-brackets fixing system



|          |              |              |
|----------|--------------|--------------|
|          | <b>Min</b>   | <b>Max</b>   |
| <b>Y</b> | 18 mm / 0.7" | 35 mm / 1.4" |
| <b>X</b> | -            | 60 mm / 2.3" |



|                |                |
|----------------|----------------|
| <b>Min</b>     | <b>Max</b>     |
| 525 mm / 20.6" | 875 mm / 34.4" |

**F.lli Menabò s.r.l.**  
Via 8 Marzo 3,  
42025 Cavriago (RE), Italy  
+39-0522/942840  
customer@flli-menabo.it  
www.menabocaraccessories.com

Product logistics

