



according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: FRAG0421 - JASMIN Allergen Free

Article number: 23779800

1.2 Relevant identified uses of the substance or mixture and uses advised against

Life cycle stages IS Use at industrial Sites

Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC28 Perfumes, fragrances

Technical function Fragrance

Application of the substance / the mixture

Alcohol cleaner

Floor polish/ Polishing wax

Toilet soap

Glass Cleaner

Basic cleaner

Hand cleaning paste

Industrial cleaner

Neutral cleaner

Soap cleaner

Washing liquid

Wax emulsion

Detergents

Toilet-cleaner

Air fresheners

Hand cleaning agent

Hand detergent

Cosmetic Active Agent

Uses advised against Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Supplies for Candles Ltd & The Soap Kitchen Ltd

Unit E Swinton Bridge Industrial Estate, Whitelee Road,

Swinton, South Yorkshire, S64 8BH

Office Hours Mon- Fri 8.00 - 16.00

customerservice@suppliesforcandles.co.uk

TEL: 01709 257151

Further information obtainable from: Regulatory Affairs Department

1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.





Page 2/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 1)



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms**





GHS07

GHSNG

Signal word Warning

Hazard-determining components of labelling:

4-tert-butylcyclohexyl acetate

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 84-66-2 diethyl phthalate >25–≤50%

EINECS: 201-550-6 substance with a Community workplace exposure limit

(Contd. on page 3)

3 F C Page 3/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

		(Contd. of page 2)	
CAS: 140-11-4	benzyl acetate	>10-<25%	
EINECS: 205-399-7	Aquatic Chronic 3, H412		
CAS: 32210-23-4	4-tert-butylcyclohexyl acetate	>2.5–≤10%	
EINECS: 250-954-9	♦ Skin Sens. 1, H317		
CAS: 60-12-8	Phenethyl alcohol	>2.5-<10%	
EINECS: 200-456-2	♠ Acute Tox. 4, H302; Eye Irrit. 2, H319		
CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)	>2.5-<10%	
	♦ Aquatic Chronic 1, H410 (M=1); ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317		
CAS: 1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	>2.5–≤10%	
EINECS: 214-946-9	Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)		
Index number: 603-212-00-	7		
CAS: 5413-60-5	Tricyclodecenyl acetate (verdyl acetate)	>2.5–≤10%	
EINECS: 226-501-6	Aquatic Chronic 3, H412		
CAS: 18479-58-8	2,6-dimethyloct-7-en-2-ol (dihydromyrcenol)	≤2.5%	
EINECS: 242-362-4	() Skin Irrit. 2, H315; Eye Irrit. 2, H319		
CAS: 28219-61-6	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (bagdanol)	≥0.25-<2.5%	
EINECS: 248-908-8	Aquatic Chronic 2, H411; 🗘 Eye Irrit. 2, H319		
CAS: 134-20-3	methyl anthranilate	≤2.5%	
EINECS: 205-132-4	(1) Eye Irrit. 2, H319		
Additional information: For the wording of the listed hazard phrases refer to section 16			

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

If symptoms persist consult doctor.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.



Page 4/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 3)

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 84-66-2 diethyl phthalate

WEL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

Additional information: The lists valid during the making were used as basis.





according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1) Printing date 23.02.2023 Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 4)

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Fluid Colour: colourless to pale yellow

Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling range

Flammability

Lower and upper explosion limit

Lower: Not determined. **Upper:** Not determined.

Flash point: 70-100 °C (CAS: 60-12-8 Phenethyl alcohol)

Ignition temperature: 259 °C (CAS: 24851-98-7 Methyl dihydrojasmonate (hedione))

Not applicable.

100–105 °C (CAS: 32210-23-4 4-tert-butylcyclohexyl acetate)

(Contd. on page 6)





according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 5)

Decomposition temperature: Not determined.

pH Mixture is non-soluble (in water).

Viscosity:

Kinematic viscosity Dynamic:Not determined.
Not determined.

Solubility

water:Insoluble (10%)alcohols:Partly miscible.Partition coefficient n-octanol/water (log value)Not determined.

Vapour pressure at 20 °C: 0 hPa

Density and/or relative density

Density:Not determined.Relative densityNot determined.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Oily

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

 VOC (EC)
 0.00 %

 VOCV (CH)
 18.00 %

 Solids content:
 1.6 %

 Refractive index
 1.485-1.495

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Void **Aerosols** Void **Oxidising gases** Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void Void Corrosive to metals **Desensitised explosives** Void

(Contd. on page 7)





according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 8333 mg/kg

CAS: 84-66-2 diethyl phthalate

Oral LD50 8600 mg/kg (rat)

CAS: 140-11-4 benzyl acetate

Oral LD50 2490 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

CAS: 32210-23-4 4-tert-butylcyclohexyl acetate

Oral LD50 5000 mg/kg (rat)

CAS: 5413-60-5 Tricyclodecenyl acetate (verdyl acetate)

Oral LD50 >5000 mg/kg (rat)
Dermal LD50 >5000 mg/kg (rabbit)

CAS: 18479-58-8 2,6-dimethyloct-7-en-2-ol (dihydromyrcenol)

Oral LD50 3600 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

CAS: 134-20-3 methyl anthranilate

Oral LD50 2910 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

11.2 Information on other hazards

Endocrine disrupting properties

CAS: 54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super): List II

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.





according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 7)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

14.2 UN proper shipping name

ADR

UN3082

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

(Iso-E super), 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]

pyran)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super), 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]

pyran), MARINE POLLUTANT

IATA Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super), 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles.

Ш

Label

14.4 Packing group ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant: Symbol (fish and tree)

(Contd. on page 9)



Page 9/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 8)

Special marking (ADR): Symbol (fish and tree)
Special marking (IATA): Symbol (fish and tree)

14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code): 90

EMS Number: F-A,S-F

Stowage Category A

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category 3
Tunnel restriction code (-)

IMDG

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)

ETHANONE (ISO-E SUPER), 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-

HEXAMETHYLINDENO[5,6-C]PYRAN), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07



Signal word Warning

Hazard-determining components of labelling:

4-tert-butylcyclohexyl acetate

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (Iso-E super)

Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

(Contd. on page 10)





according to 1907/2006/EC, Article 31

Printing date 23.02.2023 Version number 2 (replaces version 1) Revision: 23.02.2023

Trade name: FRAG0421 - JASMIN Allergen Free

(Contd. of page 9)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Regulatory Affairs department

Contact:

Regulatory Affairs department

regulatory@vioryl.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

^{*} Data compared to the previous version altered.