

TECHNICAL DATA SHEET

Effective date: 04.2019

Zinc oxide

INFORMATION ON SUBSTANCE / MIXTURE

INCI	Zinc oxide
Manufacturing process	High purity pharmaceutical material manufactured from zinc metal by the Indirect Process (French Process) according to the EU-GMP Guideline Part II (ICH Q7A). It complies with the valid European Pharmacopoeia.

TECHNICAL DATA

Physical parameters

Appearance	Powder
Color	White
Odor	Odorless

Chemical parameters*

ZnO	Min. 99.9 %
Pb	Max. 20 ppm
Cu	Max. 0.5 ppm
Cd	Max. 5 ppm
Fe	Max. 5 ppm
Mn	Max. 0.5 ppm
As	Max. 5 ppm
S	Max. 10 ppm
Cl	Max. 10 ppm
Alkalinity	Max. 0.3 ml/g
Carbonate	0
Sieve residue (42 μ)	Max. 0.05 %
Volatile matter 105°C	Max. 0.2 %
Spec. surface area (BET)	4.0 \pm 1.0 m ² /g
Loss on ignition 500°C	Max. 1 %
Loss on ignition 850°C	Max. 1 %

*determined according to DIN 55908 and PhEu

TECHNICAL DATA SHEET

Effective date: 04.2019

Zinc oxide


TRANSPORT, STORAGE and SHELF LIFE

Storage conditions	Properly closed, protected against humidity, heat and impurities.
Shelf Life	5 years under good storage conditions

LEGISLATION

EINECS	215-222-5
CAS	1314-13-2
REACH pre-registration no.	01-2119463881-32-0043

LABELING

Hazard pictograms	
Hazard categories	Signal word: warning Acutely dangerous for waters - category 1 Chronically dangerous for waters - category 1
Hazard statements	H400 - Very toxic to aquatic life. H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements	P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container in accordance with local/ regional/ national/ international regulation.
European Union specific hazard statements	None

DISCLAIMER

All warranty claims in respect to the conformity of our product are subject to our General Terms and Conditions of Sale and Delivery. The data listed above reflects the results of the manufacturer or our supplier quality tests. We do not hereby make any express or implied warranty, whether for specific properties or for fitness for any particular application or purpose. All values are valid for the product when dispatched from the works. We recommend you perform your own quality and or identification checks on receipt.