Date : 2025-04-15

Certificate of Analysis - GC Profiling

Sample Identification

Internal code : 25D08-PTH06
Customer Identification : Organic Clove Bud - Madagascar - CH0117R
Type : Essential Oil
Source : *Syzygium aromaticum*
Customer : Plant Therapy

Checked an approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

Méthode certifiée ISO 17025:2017 Certified method

Laboratoire PhytoChemia

628 Boulevard du Saguenay Ouest, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

Gas Chromatographic Analysis

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID
ISO
Results : See analysis summary (next page)
Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005
Date : 2025-04-09

Physicochemical data

Refractive index : 1.5344 ± 0.0003 (20 °C)
Method : PC-MAT-016 - Measure of the refractive index of a liquid.
Analyst : Cindy Caron B. Sc.
Date : 2025-04-09

Conclusion

No adulterant, contaminant or diluent has been detected using this method.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

Analysis Summary - Consolidated Contents

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Isovaleral	0.01	Aliphatic aldehyde
2-Methylbutyral	tr	Aliphatic aldehyde
Furfural	0.03	Furan
2-Heptanone	0.01	Aliphatic ketone
6-Methyl-5-hepten-2-one	0.01	Aliphatic ketone
2-Heptyl acetate	0.03	Aliphatic ester
(*E*)-β-Ocimene	0.01	Monoterpene
2-Nonanone	0.02	Aliphatic ketone
Linalool	0.02	Monoterpenic alcohol
(*E*)-4,8-Dimethylnona-1,3,7-triene	0.02	Terpene derivative
Benzyl acetate	0.02	Phenolic ester
Ethyl benzoate	0.01	Phenolic ester
Methyl salicylate	0.21	Phenolic ester
Chavicol	0.16	Phenylpropanoid
Chavicyl acetate	0.01	Phenylpropanoid ester
Eugenol	81.48	Phenylpropanoid
α-Copaene	0.06	Sesquiterpene
Vanillin	0.01	Simple phenolic
Isocaryophyllene	0.01	Sesquiterpene
Methyleugenol	0.02	Phenylpropanoid
Unknown	0.02	Sesquiterpene
β-Caryophyllene	4.18	Sesquiterpene
Caryophylla-4(12),8(13)-diene	0.02	Sesquiterpene
α-Humulene	0.56	Sesquiterpene
γ-Muurolene	0.01	Sesquiterpene
β-Selinene	0.01	Sesquiterpene
α-Selinene	0.02	Sesquiterpene
α-Muurolene	0.01	Sesquiterpene
γ-Cadinene	0.04	Sesquiterpene
trans-Calamenene	0.02	Sesquiterpene
δ-Cadinene	0.04	Sesquiterpene
Eugenyl acetate	10.97	Phenylpropanoid ester
Unknown	0.06	Unknown
Unknown	0.01	Phenylpropanoid
Caryophyllenyl alcohol	0.04	Sesquiterpenic alcohol
(*E*)-Nerolidol	0.01	Sesquiterpenic alcohol
Caryophyllene oxide	0.58	Sesquiterpenic ether
Clovenol?	0.01	Sesquiterpenic alcohol
Humulene epoxide I	0.02	Sesquiterpenic ether
Humulene epoxide II	0.07	Sesquiterpenic ether

(*E*)-Isoeugenyl acetate	0.04	Phenylpropanoid ester
1-epi-Cubenol	0.01	Sesquiterpenic alcohol
Caryophylladienol I	0.08	Sesquiterpenic alcohol
Caryophylladienol II	0.12	Sesquiterpenic alcohol
τ-Muurolol	0.01	Sesquiterpenic alcohol
τ-Cadinol	0.01	Sesquiterpenic alcohol
α-Muurolol	0.01	Sesquiterpenic alcohol
α-Cadinol	0.02	Sesquiterpenic alcohol
14-Hydroxy-(*Z*)-caryophyllene	0.06	Sesquiterpenic alcohol
14-Hydroxy-(*E*)-caryophyllene	0.09	Sesquiterpenic alcohol
Trimethoxypropylbenzene analog	0.01	Phenylpropanoid
(*E*)-Coniferyl alcohol	0.02	Phenylpropanoid
Benzyl benzoate	0.04	Phenolic ester
Caryolane-1,9β-diol	0.03	Sesquiterpenic alcohol
Benzyl salicylate	0.02	Phenolic ester
Unknown	0.02	Lignan
Unknown	0.03	Lignan
Consolidated total	**99.47**	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

This page was intentionally left blank. The following pages present the complete data of the analysis.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com


DB-WAX
12.36
12.43
11.66
10.89
10.08
9.70
9.61
9.53
9.27
9.02
8.96
8.32
8.12
7.87
7.79
6.86
6.36
5.55
4.80
4.53
3.99
3.74
2.80
0.70
0.69
Time (min)
Intensity (×10^5)
20.51
19.77
19.69
18.46
17.92
17.51
16.88
16.45
16.12
16.09
15.70
15.64
15.39
15.13
14.83
14.71
14.62
14.55
14.49
13.44
13.30
13.02
12.98
12.79
Time (min)
Intensity (×10^5)


DB-5
12.35
12.19
12.11
11.92
11.80
11.76
11.66
11.50
11.40
11.28
11.18
10.84
10.51
10.40
10.27
10.29
10.22
10.07
9.82
9.73
9.40
8.30
7.11
6.78
6.70
6.01
5.75
5.61
4.86
4.92
3.94
2.53
1.81
0.65
0.62
Time (min)
Intensity (×10^5)
22.22
22.00
15.83
15.14
14.66
14.40
13.78
13.62
13.45
13.42
13.32
13.27
13.18
13.13
13.06
12.93
12.82
12.70
12.53
12.49
Time (min)
Intensity (×10^5)

FULL ANALYSIS DATA

Isovaleral	Column DB-WAX			Column DB-5		
	0.70	881.5	0.01	0.62	637.6	0.01
2-Methylbutyral	0.68	875.0	tr	0.65	647.7	tr
Furfural	6.36	1407.9	0.05	1.81	828.2	0.03
2-Heptanone	2.80	1140.8	0.01	2.53	889.4	0.01
6-Methyl-5-hepten-2-one	4.80	1293.2	0.01	3.94	986.8	0.01
2-Heptyl acetate	3.99	1233.3	0.02	4.86	1045.8	0.03
(*E*)-β-Ocimene	3.74	1215.1	0.01	4.92	1049.5	0.01
2-Nonanone	5.55	1348.1	0.02	5.61	1093.0	0.02
Linalool	7.79	1516.9	0.02	5.75	1101.8	0.02
(*E*)-4,8-Dimethylnona-1,3,7-triene	4.53	1273.1	0.02	6.01	1118.4	0.02
Benzyl acetate	9.70*	1670.5	[0.02]	6.70	1162.6	0.02
Ethyl benzoate	9.02	1614.4	0.01	6.78	1167.7	0.01
Methyl salicylate	10.08*	1701.9	[0.27]	7.11	1189.0	0.21
Chavicol	16.12	2271.7	0.24	8.30	1268.4	0.16
Chavicyl acetate	12.36	1902.1	0.04	9.40	1344.6	0.01
Eugenol	14.49†	2105.3	81.05	9.73†	1368.0	81.15
α-Copaene	6.86	1445.6	0.05	9.82	1373.8	0.06
Vanillin	17.92	2468.4	0.02	10.07	1391.6	0.01
Isocaryophyllene	7.87	1523.1	0.01	10.22	1402.6	0.01
Methyleugenol	12.98	1960.0	0.02	10.27	1405.8	0.02
Unknown PIRA I [m/z 93, 91 (57), 133 (53), 79 (49), 41 (46), 105 (45)... 204 (20)				10.30	1408.0	0.02
β-Caryophyllene	8.12	1543.0	4.18	10.40	1415.5	4.18
Caryophylla-4(12),8(13)-diene	8.32	1558.5	0.02	10.51	1423.7	0.02
α-Humulene	8.96	1609.6	0.53	10.84	1448.5	0.56
γ-Muurolene	9.26	1634.6	0.02	11.18	1473.8	0.01
β-Selinene	9.53	1656.3	0.01	11.28	1481.2	0.01
α-Selinene	9.61	1662.8	0.01	11.40	1490.6	0.02
α-Muurolene	9.70*	1670.5	[0.02]	11.50	1497.8	0.01
γ-Cadinene	10.08*	1701.9	[0.27]	11.66	1510.1	0.04
trans-Calamenene	10.89	1771.4	0.01	11.76	1517.7	0.02
δ-Cadinene	10.08*	1701.9	[0.27]	11.80	1520.8	0.04
Eugenyl acetate	15.39	2195.8	10.94	11.92	1530.8	10.97
Unknown SYAR II [m/z 164, 135 (98), 93 (86), 107 (83), 79 (69)...]	11.66	1839.4	0.05	12.11	1545.1	0.06
Unknown SYAR III [m/z 180, 93 (70), 55 (62), 77 (55), 164 (55), 103 (50)]	20.51	2775.9	0.01	12.19	1552.0	0.01
Caryophyllenyl alcohol	13.30	1989.6	0.04	12.35*	1564.1	[0.05]

(*E*)-Nerolidol	13.44*	2002.2	[0.01]	12.35*	1564.1	[0.05]
Caryophyllene oxide	12.43	1907.9	0.54	12.49	1575.5	0.58
Clovenol?	14.62	2117.7	0.02	12.53	1578.3	0.01
Humulene epoxide I	12.79	1942.3	0.02	12.70	1591.7	0.02
Humulene epoxide II	13.02	1963.1	0.06	12.82	1601.2	0.07
(*E*)-Isoeugenyl acetate	16.88	2352.7	0.02	12.93	1610.0	0.04
1-epi-Cubenol	13.44*	2002.2	[0.01]	13.06	1621.2	0.01
Caryophylladienol I	15.64	2221.3	0.04	13.13	1626.6	0.08
Caryophylladienol II	15.70	2227.6	0.13	13.18	1630.4	0.12
τ-Muurolol	14.71	2126.9	0.01	13.26*	1637.8	[0.02]
τ-Cadinol	14.55	2111.4	0.01	13.26*	1637.8	[0.02]
α-Muurolol	14.83	2139.2	0.06	13.32	1642.2	0.01
α-Cadinol	15.13	2169.6	0.02	13.42	1650.3	0.02
14-Hydroxy-(*Z*)-caryophyllene	16.09	2268.5	0.06	13.45	1653.2	0.06
14-Hydroxy-(*E*)-caryophyllene	16.46	2307.0	0.11	13.62	1667.3	0.09
Trimethoxypropylbenzene analog	17.51	2421.9	0.01	13.78	1680.1	0.01
(*E*)-Coniferyl alcohol				14.40	1732.6	0.02
Benzyl benzoate	18.46	2530.1	0.03	14.66	1755.7	0.04
Caryolane-1,9β-diol	19.69	2675.8	0.02	15.14	1796.8	0.03
Benzyl salicylate	19.77	2685.1	0.02	15.83	1858.9	0.02
Unknown OCSA V [m/z 326, 148 (67), 147 (41), 117 (30), 91 (22)...]				22.00	2498.1	0.02
Unknown CIZE V [m/z 326, 150 (54), 161 (42), 202 (41), 201 (28)]				22.22	2524.0	0.03
Total reported		99.27%			99.47%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index