Date : 2024-11-26

Certificate of Analysis - GC Profiling

Sample Identification

Internal code : 24K12-PTH01
Customer Identification : Organic Palmarosa - India - PK0106R
Type : Essential Oil
Source : *Cymbopogon martini*
Customer : Plant Therapy

Checked an approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

Méthode certifiée ISO 17025:2017 Certified method

Laboratoire PhytoChemia

628 Boulevard du Saguenay Ouest, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

Gas Chromatographic Analysis

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID
ISO
Results : See analysis summary (next page)
Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005
Date : 2024-11-19

Physicochemical data

Refractive index : 1.4731 ± 0.0003 (20 °C)
Method : PC-MAT-016 - Measure of the refractive index of a liquid.
Analyst : Cindy Caron B. Sc.
Date : 2024-11-14

Conclusion

No adulterant, contaminant or diluent has been detected using this method.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com

Analysis Summary - Consolidated Contents

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Ethanol	0.01	Aliphatic alcohol
2-Methyl-3-buten-2-ol	0.01	Aliphatic alcohol
Isovaleral	0.01	Aliphatic aldehyde
2-Methylbutyral	tr	Aliphatic aldehyde
2-Ethylfuran	tr	Furan
Isoamyl alcohol	0.03	Aliphatic alcohol
6-Methyl-5-hepten-2-one	0.04	Aliphatic ketone
trans-Dehydroxylinalool oxide	0.04	Monoterpenic ether
Myrcene	0.16	Monoterpene
cis-Dehydroxylinalool oxide	0.01	Monoterpenic ether
Limonene	0.10	Monoterpene
(*Z*)-β-Ocimene	0.33	Monoterpene
(*E*)-β-Ocimene	1.11	Monoterpene
2,6-Dimethyl-5-heptenal (melonal)	0.03	Aliphatic aldehyde
γ-Terpinene	0.01	Monoterpene
cis-Linalool oxide (fur.)	0.02	Monoterpenic alcohol
Octanol	0.02	Aliphatic alcohol
Terpinolene	0.02	Monoterpene
trans-Linalool oxide (fur.)	0.01	Monoterpenic alcohol
Rosefuran	0.01	Monoterpenic ether
Linalool	2.81	Monoterpenic alcohol
Nonanal	0.02	Aliphatic aldehyde
allo-Ocimene	0.01	Monoterpene
neo-allo-Ocimene	0.01	Monoterpene
Nerol oxide	0.01	Aliphatic ether
α-Terpineol	0.04	Monoterpenic alcohol
Caprylic acid	0.02	Aliphatic acid
Nerol	1.09	Monoterpenic alcohol
Citronellol	0.05	Monoterpenic alcohol
Neral	0.20	Monoterpenic aldehyde
Piperitone	0.03	Monoterpenic ketone
Isoamyl hexanoate	0.02	Aliphatic ester
Geraniol	81.44	Monoterpenic alcohol
Geranial	0.42	Monoterpenic aldehyde
Unknown	0.05	Oxygenated monoterpene
Geranyl formate	0.11	Monoterpenic ester
Geranic acid	0.02	Aliphatic acid
Geranyl acetate	6.98	Monoterpenic ester
β-Elemene	0.10	Sesquiterpene
β-Caryophyllene	1.25	Sesquiterpene

α-Humulene	0.08	Sesquiterpene
Unknown	0.06	Sesquiterpene
Germacrene D	tr	Sesquiterpene
β-Selinene	0.02	Sesquiterpene
Valencene	0.04	Sesquiterpene
γ-Cadinene	0.03	Sesquiterpene
α-Elemol	0.01	Sesquiterpenic alcohol
Geranyl butyrate	0.22	Monoterpenic ester
(*E*)-Nerolidol	0.10	Sesquiterpenic alcohol
Caryophyllene oxide isomer	0.02	Sesquiterpenic ether
Caryophyllene oxide	0.14	Sesquiterpenic ether
Humulene epoxide II	0.01	Sesquiterpenic ether
(3*Z*)-Caryophylla-3,8(13)-dien-5β-ol	0.01	Sesquiterpenic alcohol
(2*E*,6*E*)-Farnesol	0.66	Sesquiterpenic alcohol
Geranyl caproate	0.83	Monoterpenic ester
(2*E*,6*E*)-Farnesyl acetate	0.08	Sesquiterpenic ester
Phytone	0.03	Terpenic ketone
Geranyl caprylate	0.19	Monoterpenic ester
Unknown	0.03	Unknown
Unknown	0.02	Unknown
Consolidated total	**99.25**	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com


DB-WAX
Intensity (×10^5)
Time (min)
12.35
11.83
11.19
10.86
10.74
10.59
10.26
10.09
10.05
10.12
9.91
9.79
9.63
9.50
8.64
8.40
8.20
7.04
7.10
6.67
6.17
6.04
5.76
5.45
5.21
4.47
4.16
3.98
3.95
3.54
3.57
3.36
3.04
1.65
0.99
0.90
0.82
0.80
19.14
16.96
16.42
16.11
14.90
14.45
14.19
13.93
13.55
12.96
12.88


DB-5
Time (min)
Intensity (×10^5)
12.40
12.37
12.16
11.72
11.42
11.28
11.31
10.88
10.42
10.05
10.09
9.77
8.87
8.57
8.40
8.33
8.11
8.01
7.91
7.85
7.77
7.33
7.15
6.61
6.42
6.24
5.80
5.73
5.54
5.54
5.39
5.30
5.09
5.02
4.96
4.81
4.59
4.28
4.06
3.98
1.01
0.81
0.66
0.63
0.53
0.39
21.18
18.44
16.85
15.73
15.68
14.70
14.32
13.67
12.86
12.53
12.53

FULL ANALYSIS DATA

	Column DB-WAX			Column DB-5		
Ethanol	0.90	907.1	0.01	0.39	499.9	0.01
2-Methyl-3-buten-2-ol	1.65	1011.6	0.01	0.53	606.6	0.01
Isovaleral	0.82	888.0	0.01	0.63	641.8	0.01
2-Methylbutyral	0.80	881.8	tr	0.66	651.9	tr
2-Ethylfuran	1.00	921.1	tr	0.81	702.5	tr
Isoamyl alcohol	3.57	1177.5	0.03	1.01	732.7	0.03
6-Methyl-5-hepten-2-one	5.21	1302.2	0.05	3.98	988.1	0.04
trans-Dehydroxylinalool oxide	3.54	1175.1	0.04	4.06*	993.2	[0.16]
Myrcene	3.04	1135.7	0.16	4.06*	993.2	[0.16]
cis-Dehydroxylinalool oxide	3.98*	1209.3	[0.02]	4.28	1007.2	0.01
Limonene	3.36	1160.8	0.10	4.59	1026.8	0.10
(*Z*)-β-Ocimene	3.95	1207.4	0.35	4.81	1040.5	0.33
(*E*)-β-Ocimene	4.16	1222.8	1.14	4.96	1050.4	1.11
2,6-Dimethyl-5-heptenal (melonal)	5.44	1310.7	0.01	5.02	1054.1	0.03
γ-Terpinene	3.98*	1209.3	[0.02]	5.09	1058.3	0.01
cis-Linalool oxide (fur.)	6.67	1399.2	0.02	5.30	1071.2	0.02
Octanol	8.40	1529.9	0.02	5.39	1077.3	0.02
Terpinolene	4.47	1246.1	0.02	5.54*	1086.8	[0.03]
trans-Linalool oxide (fur.)	7.10	1431.3	0.01	5.54*	1086.8	[0.03]
Rosefuran	6.16	1362.7	0.01	5.73	1098.6	0.01
Linalool	8.20	1514.1	2.81	5.80*	1103.0	[2.83]
Nonanal	6.04*	1354.1	[0.02]	5.80*	1103.0	[2.83]
allo-Ocimene	5.76	1333.4	0.01	6.24	1130.8	0.01
neo-allo-Ocimene	6.04*	1354.1	[0.02]	6.42	1142.2	0.01
Nerol oxide	7.04*	1427.1	[0.02]	6.61	1154.9	0.01
α-Terpineol	9.91*	1649.5	[0.05]	7.15	1189.4	0.04
Caprylic acid				7.34	1201.0	0.02
Nerol	11.19	1755.6	1.05	7.77	1230.1	1.09
Citronellol	10.86	1728.0	0.10	7.85	1235.2	0.05
Neral	9.63	1626.3	0.22	7.91	1239.3	0.20
Piperitone	10.05*	1661.0	[0.12]	8.01	1246.3	0.03
Isoamyl hexanoate	7.04*	1427.1	[0.02]	8.11	1252.9	0.02

Geraniol	11.83	1810.6	81.44	8.33*†	1267.8	[81.51]
Geranial	10.26	1677.4	0.42	8.40*†	1272.4	[0.75]
Unknown CYFL VII [m/z 43, 69 (77), 41 (70), 109 (54)... 152 (6)]				8.57	1283.4	0.05
Geranyl formate	10.05*	1661.0	[0.12]	8.87	1303.7	0.11
Geranic acid				9.77	1366.9	0.02
Geranyl acetate	10.74	1717.5	6.96	10.05	1387.2	6.98
β-Elemene	8.64*	1548.2	[1.29]	10.09	1389.9	0.10
β-Caryophyllene	8.64*	1548.2	[1.29]	10.42	1413.6	1.25
α-Humulene	9.50	1616.0	0.08	10.88	1447.7	0.08
Unknown CASA VII [m/z 189, 133 (75), 91 (71), 105 (69), 93 (44)... 204 (33)]	9.79	1639.5	0.06	11.28*	1477.9	[0.07]
Germacrene D	9.91*	1649.5	[0.05]	11.28*	1477.9	[0.07]
β-Selinene	10.09	1663.6	0.01	11.31	1480.0	0.02
Valencene	10.12	1666.2	0.03	11.42	1488.0	0.04
γ-Cadinene	10.59	1704.6	0.04	11.72	1510.6	0.03
α-Elemol	14.19	2026.4	0.01	12.16	1545.2	0.01
Geranyl butyrate	12.35	1856.8	0.28	12.37	1561.7	0.22
(*E*)-Nerolidol	13.93	2001.8	0.09	12.40	1564.3	0.10
Caryophyllene oxide isomer	12.88	1904.2	0.02	12.53*	1574.4	[0.17]
Caryophyllene oxide	12.96	1911.5	0.14	12.53*	1574.4	[0.17]
Humulene epoxide II	13.55	1965.9	0.01	12.86	1600.4	0.01
(3*Z*)-Caryophylla-3,8(13)-dien-5β-ol	16.96*	2304.9	[0.64]	13.67	1666.8	0.01
(2*E*,6*E*)-Farnesol	16.96*	2304.9	[0.64]	14.32	1721.3	0.66
Geranyl caproate	14.45	2051.2	0.83	14.70	1754.7	0.83
(2*E*,6*E*)-Farnesyl acetate	16.11	2216.9	0.07	15.68	1841.3	0.08
Phytone	14.90	2094.9	0.03	15.73	1846.1	0.03
Geranyl caprylate	16.42	2249.2	0.19	16.85	1949.4	0.19
Unknown DRMO VI [m/z 69, 41 (37), 81 (23), 95 (19), 109 (18)...]	19.14	2547.1	0.04	18.44	2105.9	0.03
Unknown MOFI VII [m/z 69, 81 (54), 95 (26), 41				21.18	2401.4	0.02

(20), 82 (16), 123 (16)...]						
Total reported	99.11%			99.61%		

*: Two or more compounds are coeluting on this column
[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total
†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis
tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied
R.T.: Retention time (minutes)
R.I.: Retention index

628 Boulevard du Saguenay, Saguenay (Qc) G7J 1H4 | www.phytochemia.com