

Date : 2025-05-21

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 25E16-PTH03

Customer Identification : Organic Marjoram - Egypt - MJ0112R

Type : Essential Oil

Source : *Origanum majorana* ct. *Sabinene hydrate*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID



Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2025-05-21

PHYSICOCHEMICAL DATA

Refractive index : 1.4721 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2025-05-16

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|---------------------------|--------|----------------------|
| Isobutyral | tr | Aliphatic aldehyde |
| Isovaleral | 0.01 | Aliphatic aldehyde |
| 2-Methylbutyral | 0.01 | Aliphatic aldehyde |
| 2-Ethylfuran | 0.01 | Furan |
| Methyl 2-methylbutyrate | 0.03 | Aliphatic ester |
| Hexanal | tr | Aliphatic aldehyde |
| Octane | 0.01 | Alkane |
| (2E)-Hexenal | 0.02 | Aliphatic aldehyde |
| (3Z)-Hexenol | 0.02 | Aliphatic alcohol |
| (2E)-Hexenol | 0.01 | Aliphatic alcohol |
| Hexanol | 0.01 | Aliphatic alcohol |
| Hashishene | 0.02 | Monoterpene |
| α -Thujene | 0.58 | Monoterpene |
| α -Pinene | 0.83 | Monoterpene |
| Camphene | 0.04 | Monoterpene |
| Sabinene | 7.44 | Monoterpene |
| β -Pinene | 0.42 | Monoterpene |
| 3-Methyl-3-cyclohexenone | 0.02 | Aliphatic ketone |
| Octan-3-one | 0.10 | Aliphatic ketone |
| Myrcene | 1.99 | Monoterpene |
| Pseudolimonene | 0.07 | Monoterpene |
| α -Phellandrene | 0.34 | Monoterpene |
| Δ^3 -Carene | 0.01 | Monoterpene |
| (3Z)-Hexenyl acetate | 0.01 | Aliphatic ester |
| α -Terpinene | 8.08 | Monoterpene |
| Carvomenthene | 0.01 | Aliphatic alcohol |
| para-Cymene | 0.96 | Monoterpene |
| Limonene | 2.08 | Monoterpene |
| 1,8-Cineole | [1.92] | Monoterpenic ether |
| β -Phellandrene | [1.92] | Monoterpene |
| (Z)- β -Ocimene | 0.03 | Monoterpene |
| (E)- β -Ocimene | 0.05 | Monoterpene |
| γ -Terpinene | 12.77 | Monoterpene |
| cis-Sabinene hydrate | 3.77 | Monoterpenic alcohol |
| cis-Linalool oxide (fur.) | 0.01 | Monoterpenic alcohol |
| Terpinolene | 2.90 | Monoterpene |
| para-Cymenene | 0.02 | Monoterpene |
| trans-Sabinene hydrate | 19.24 | Monoterpenic alcohol |
| Linalool | 1.22 | Monoterpenic alcohol |
| Unknown | 0.03 | Monoterpenic alcohol |

| | | |
|--|-------|------------------------|
| <i>cis</i> -para-Menth-2-en-1-ol | 1.53 | Monoterpenic alcohol |
| α -Campholenal | 0.03 | Monoterpenic aldehyde |
| 4-Hydroxy-4-methylcyclohex-2-enone | 0.01 | Aliphatic alcohol |
| <i>trans</i> -Pinocarveol | 0.07 | Monoterpenic alcohol |
| <i>trans</i> -para-Menth-2-en-1-ol | 0.84 | Monoterpenic alcohol |
| Epoxyterpinolene | 0.01 | Monoterpenic ether |
| Unknown | 0.02 | Unknown |
| 1,4-Dimethyl-4-acetylhexane | 0.03 | Monoterpenic ketone |
| Pinocarvone | 0.02 | Monoterpenic ketone |
| Borneol | 0.06 | Monoterpenic alcohol |
| Terpinen-4-ol | 20.89 | Monoterpenic alcohol |
| Cryptone | 0.01 | Normonoterpenic ketone |
| <i>para</i> -Cymen-8-ol | 0.05 | Monoterpenic alcohol |
| Myrtenal | 0.01 | Monoterpenic aldehyde |
| α -Terpineol | 2.90 | Monoterpenic alcohol |
| Myrtenol | 0.01 | Monoterpenic alcohol |
| <i>cis</i> -Dihydrocarvone | 0.01 | Monoterpenic ketone |
| <i>cis</i> -Piperitol | 0.33 | Monoterpenic alcohol |
| Methylchavicol | 0.01 | Phenylpropanoid |
| <i>trans</i> -Dihydrocarvone | 0.02 | Monoterpenic ketone |
| Unknown | 0.03 | Unknown |
| <i>trans</i> -Piperitol | 0.43 | Monoterpenic alcohol |
| <i>trans</i> -Carveol | 0.03 | Monoterpenic alcohol |
| <i>cis</i> -Sabinene hydrate acetate? | 0.04 | Monoterpenic ester |
| Nerol | 0.05 | Monoterpenic alcohol |
| Citronellol | 0.01 | Monoterpenic alcohol |
| Unknown | 0.02 | Oxygenated monoterpane |
| Neral | 0.02 | Monoterpenic aldehyde |
| Carvenone | 0.04 | Monoterpenic ketone |
| <i>trans</i> -Sabinene hydrate acetate | 0.14 | Monoterpenic ester |
| Geraniol | 0.04 | Monoterpenic alcohol |
| Linalyl acetate | 2.32 | Monoterpenic ester |
| <i>trans</i> -Ascaridole glycol | 0.04 | Monoterpenic alcohol |
| Citronellyl formate | 0.01 | Monoterpenic ester |
| Bornyl acetate | 0.02 | Monoterpenic ester |
| <i>cis</i> -Ascaridole glycol | 0.01 | Monoterpenic alcohol |
| Terpinen-4-yl acetate | 0.06 | Monoterpenic ester |
| Thymol | tr | Monoterpenic alcohol |
| Thymol analogue II | 0.01 | Monoterpenic alcohol |
| Unknown | 0.02 | Monoterpenic alcohol |
| Unknown | 0.01 | Unknown |
| Unknown | 0.03 | Monoterpenic alcohol |
| Bicycloelemene | 0.03 | Sesquiterpene |
| α -Cubebene | 0.01 | Sesquiterpene |
| Eugenol | 0.02 | Phenylpropanoid |

| | | |
|---------------------------|--------------|------------------------|
| Neryl acetate | 0.04 | Monoterpnic ester |
| Geranyl acetate | 0.08 | Monoterpnic ester |
| β-Elemene | 0.01 | Sesquiterpene |
| β-Caryophyllene | 2.31 | Sesquiterpene |
| trans-a-Bergamotene | 0.02 | Sesquiterpene |
| α-Humulene | 0.10 | Sesquiterpene |
| allo-Aromadendrene | 0.02 | Sesquiterpene |
| trans-Cadina-1(6),4-diene | 0.04 | Sesquiterpene |
| Germacrene D | 0.01 | Sesquiterpene |
| α-Selinene | 0.01 | Sesquiterpene |
| Viridiflorene | 0.03 | Sesquiterpene |
| Bicyclogermacrene | 1.26 | Sesquiterpene |
| α-Murolene | 0.01 | Sesquiterpene |
| (3E,6E)-α-Farnesene | 0.06 | Sesquiterpene |
| δ-Cadinene | 0.02 | Sesquiterpene |
| Spathulenol | 0.05 | Sesquiterpenic alcohol |
| Caryophyllene oxide | 0.09 | Sesquiterpenic ether |
| Viridiflorol | 0.01 | Sesquiterpenic alcohol |
| Isospathulenol | 0.02 | Sesquiterpenic alcohol |
| Unknown | 0.02 | Diterpene |
| Consolidated total | 99.60 | |

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

| Isobutyral | Column DB-WAX | | | Column DB-5 | | |
|---------------------------|----------------------|--------|---------|--------------------|--------|--------|
| | 0.51* | 781.1 | [0.01] | 0.43 | 539.5 | tr |
| Isovaleral | 0.78 | 886.2 | 0.01 | 0.61 | 641.9 | 0.01 |
| 2-Methylbutyral | 0.76 | 879.6 | 0.01 | 0.64 | 651.9 | 0.01 |
| 2-Ethylfuran | 0.94 | 917.7 | 0.01 | 0.78 | 701.2 | 0.01 |
| Methyl 2-methylbutyrate | 1.31 | 977.2 | 0.03 | 1.27 | 774.1 | 0.03 |
| Hexanal | 1.92 | 1043.8 | tr | 1.45 | 799.9 | tr |
| Octane | 0.51* | 781.1 | [0.01] | 1.47 | 802.6 | 0.01 |
| (2E)-Hexenal | 3.43 | 1173.4 | 0.02 | 2.01 | 848.2 | 0.02 |
| (3Z)-Hexenol | 5.86 | 1350.9 | 0.02 | 2.10 | 855.8 | 0.02 |
| (2E)-Hexenol | 6.12 | 1369.4 | 0.01 | 2.26 | 869.2 | 0.01 |
| Hexanol | 5.49 | 1325.2 | 0.01 | 2.30 | 872.7 | 0.01 |
| Hashishene | 1.39* | 989.7 | [0.84] | 2.84 | 915.5 | 0.02 |
| α -Thujene | 1.45 | 997.5 | 0.58 | 3.00 | 925.7 | 0.58 |
| α -Pinene | 1.39* | 989.7 | [0.84] | 3.07 | 930.6 | 0.83 |
| Campheene | 1.73 | 1025.1 | 0.04 | 3.26 | 943.3 | 0.04 |
| Sabinene | 2.33 | 1085.2 | 7.44 | 3.68* | 971.7 | [7.87] |
| β -Pinene | 2.13 | 1065.0 | 0.42 | 3.68* | 971.7 | [7.87] |
| 3-Methyl-3-cyclohexenone | 6.19 | 1374.5 | 0.03 | 3.83 | 981.9 | 0.02 |
| Octan-3-one | 4.02* | 1218.2 | [0.13] | 3.91 | 987.1 | 0.10 |
| Myrcene | 2.93 | 1133.6 | 1.98 | 4.00 | 993.2 | 1.99 |
| Pseudolimonene | 2.87 | 1128.8 | 0.07 | 4.14* | 1002.1 | [0.40] |
| α -Phellandrene | 2.82 | 1125.2 | 0.34 | 4.14* | 1002.1 | [0.40] |
| Δ^3 -Carene | 2.62 | 1109.4 | 0.01 | 4.21 | 1007.1 | 0.01 |
| (3Z)-Hexenyl acetate | 4.91 | 1283.4 | 0.01 | 4.27 | 1010.9 | 0.01 |
| α -Terpinene | 3.02 | 1141.2 | 8.05 | 4.36 | 1016.1 | 8.08 |
| Carvomenthene | 2.48 | 1098.6 | 0.01 | 4.41 | 1019.7 | 0.01 |
| para-Cymene | 4.16 | 1227.9 | 0.96 | 4.45 | 1022.3 | 0.96 |
| Limonene | 3.23 | 1157.7 | 2.08 | 4.52*† | 1026.7 | [1.80] |
| 1,8-Cineole | 3.33* | 1165.1 | [1.91] | 4.53*† | 1027.3 | [2.21] |
| β -Phellandrene | 3.33* | 1165.1 | [1.91] | 4.53*† | 1027.3 | [2.21] |
| (Z)- β -Ocimene | 3.89* | 1208.4 | [12.76] | 4.74 | 1040.4 | 0.03 |
| (E)- β -Ocimene | 4.02* | 1218.2 | [0.13] | 4.90 | 1050.5 | 0.05 |
| γ -Terpinene | 3.89* | 1208.4 | [12.76] | 5.04 | 1059.8 | 12.77 |
| cis-Sabinene hydrate | 6.97 | 1431.0 | 3.78 | 5.15 | 1066.6 | 3.77 |
| cis-Linalool oxide (fur.) | 6.59 | 1403.5 | 0.01 | 5.23 | 1071.7 | 0.01 |
| Terpinolene | 4.35 | 1241.7 | 2.90 | 5.48* | 1087.5 | [2.92] |
| para-Cymenene | 6.39 | 1388.8 | 0.02 | 5.48* | 1087.5 | [2.92] |
| trans-Sabinene | 8.07 | 1512.4 | 19.22 | 5.68 | 1100.5 | 19.24 |

| hydrate | | | | | | |
|---|--------|--------|--------|-------|--------|--------|
| Linalool | 8.14 | 1517.7 | 1.22 | 5.72 | 1103.1 | 1.22 |
| Unknown ORMA I [m/z 119, 109 (94), 43 (61), 95 (56), 91 (48), 77 (32), 152 (32), 137 (31), 134 (24)] | 8.54* | 1548.7 | [0.03] | 5.77 | 1105.9 | 0.03 |
| cis-para-Menth-2-en-1-ol | 8.19* | 1521.9 | [3.79] | 5.99 | 1120.4 | 1.53 |
| α-Campholenal | 7.06 | 1438.0 | 0.03 | 6.03 | 1123.1 | 0.03 |
| 4-Hydroxy-4-methylcyclohex-2-enone | 14.22* | 2035.7 | [0.04] | 6.14 | 1130.0 | 0.01 |
| trans-Pinocarveol | 9.24* | 1602.9 | [0.08] | 6.21 | 1134.5 | 0.07 |
| trans-para-Menth-2-en-1-ol | 9.02 | 1585.8 | 0.84 | 6.28 | 1138.8 | 0.84 |
| Epoxyterpinolene | 6.78* | 1417.3 | [0.02] | 6.37 | 1144.7 | 0.01 |
| Unknown MEAL II [m/z 109, 124 (45), 119 (41), 43 (35), 91 (28), 95 (25)...] | 6.86 | 1422.7 | 0.02 | 6.40* | 1146.9 | [0.04] |
| 1,4-Dimethyl-4-acetylcylohexene | 7.41 | 1463.3 | 0.03 | 6.40* | 1146.9 | [0.04] |
| Pinocarvone | 7.97 | 1504.8 | 0.02 | 6.56 | 1157.5 | 0.02 |
| Borneol | 9.85* | 1651.6 | [2.92] | 6.67 | 1164.3 | 0.06 |
| Terpinen-4-ol | 8.68 | 1559.1 | 20.79 | 6.90 | 1179.7 | 20.89 |
| Cryptone | 9.17 | 1597.2 | 0.02 | 6.95 | 1182.8 | 0.01 |
| para-Cymen-8-ol | 11.60 | 1796.9 | 0.03 | 6.98 | 1184.7 | 0.05 |
| Myrtenal | 8.72 | 1562.4 | 0.01 | 7.08* | 1190.9 | [2.90] |
| α-Terpineol | 9.85* | 1651.6 | [2.92] | 7.08* | 1190.9 | [2.90] |
| Myrtenol | 10.93 | 1740.5 | 0.01 | 7.14* | 1194.6 | [0.34] |
| cis-Dihydrocarvone | 8.54* | 1548.7 | [0.03] | 7.14* | 1194.6 | [0.34] |
| cis-Piperitol | 9.60 | 1632.0 | 0.33 | 7.14* | 1194.6 | [0.34] |
| Methylchavicol | 9.38 | 1613.8 | 0.01 | 7.18 | 1197.5 | 0.01 |
| trans-Dihydrocarvone | 8.76 | 1565.6 | 0.02 | 7.23 | 1200.8 | 0.02 |
| Unknown PIMA 7 [m/z 95, 93 (32), 121 (24), 79 (22), 91 (21), 105 (16)... 154 (2)] | 10.99 | 1745.9 | 0.03 | 7.28 | 1204.0 | 0.03 |
| trans-Piperitol | 10.44 | 1699.1 | 0.45 | 7.33 | 1207.3 | 0.43 |
| trans-Carveol | 11.45 | 1784.7 | 0.03 | 7.49 | 1218.3 | 0.03 |

| | | | | | | |
|---|--------|--------|--------|--------|--------|--------|
| <i>cis</i> -Sabinene hydrate acetate? | | | 7.55 | 1222.2 | 0.04 | |
| Nerol | 11.13 | 1757.3 | 0.07 | 7.67 | 1230.8 | 0.05 |
| Citronellol | 10.79 | 1728.8 | 0.01 | 7.71 | 1233.4 | 0.01 |
| Unknown CIAU II [m/z 137, 152 (28), 43 (25), 91 (24), 109 (23), 119 (19)] | 11.37 | 1777.6 | 0.03 | 7.74 | 1235.6 | 0.02 |
| Neral | 9.53 | 1625.9 | 0.02 | 7.82 | 1241.0 | 0.02 |
| Carvenone | 9.94 | 1659.2 | 0.01 | 7.96 | 1250.5 | 0.04 |
| <i>trans</i> -Sabinene hydrate acetate | 7.70 | 1484.7 | 0.13 | 8.04 | 1255.6 | 0.14 |
| Geraniol | 11.69 | 1805.4 | 0.07 | 8.10 | 1259.9 | 0.04 |
| Linalyl acetate | 8.19* | 1521.9 | [3.79] | 8.13 | 1262.2 | 2.32 |
| <i>trans</i> -Ascaridole glycol | 14.22* | 2035.7 | [0.04] | 8.22 | 1268.0 | 0.04 |
| Citronellyl formate | 8.94 | 1579.1 | 0.01 | 8.41 | 1281.0 | 0.01 |
| Bornyl acetate | 8.32 | 1531.3 | 0.02 | 8.47 | 1285.2 | 0.02 |
| <i>cis</i> -Ascaridole glycol | 14.86* | 2097.8 | [0.02] | 8.49 | 1286.5 | 0.01 |
| Terpinen-4-yl acetate | 8.79 | 1568.1 | 0.06 | 8.72 | 1302.1 | 0.06 |
| Thymol | 15.19 | 2130.8 | tr | 8.80* | 1304.0 | [0.03] |
| Thymol analogue II | 15.39 | 2150.6 | 0.01 | 8.80* | 1304.0 | [0.03] |
| Unknown MEAL I analog | 14.02 | 2017.4 | 0.01 | 8.78 | 1306.1 | 0.02 |
| Unknown MISC X [m/z 69, 41 (79), 91 (56), 92 (54), 79 (50), 77 (35)...] | | | | 8.88 | 1309.8 | 0.01 |
| Unknown MEAL I [m/z 97, 112 (92), 83 (62), 43 (44), 41 (25)... 170? (4)] | | | | 8.96 | 1315.7 | 0.03 |
| Bicycloelemene | 7.10 | 1440.5 | 0.03 | 9.23 | 1334.9 | 0.03 |
| α -Cubebene | 6.78* | 1417.3 | [0.02] | 9.42 | 1348.4 | 0.01 |
| Eugenol | 14.86* | 2097.8 | [0.02] | 9.55 | 1357.1 | 0.02 |
| Neryl acetate | 10.24 | 1682.7 | 0.04 | 9.68 | 1366.8 | 0.04 |
| Geranyl acetate | 10.61 | 1713.4 | 0.06 | 9.95 | 1386.1 | 0.08 |
| β -Elemene | 8.47* | 1543.2 | [2.31] | 10.01 | 1390.0 | 0.01 |
| β -Caryophyllene | 8.47* | 1543.2 | [2.31] | 10.35 | 1414.6 | 2.31 |
| <i>trans</i> - α -Bergamotene | 8.47* | 1543.2 | [2.31] | 10.60 | 1433.8 | 0.02 |
| α -Humulene | 9.32 | 1609.0 | 0.10 | 10.79 | 1448.2 | 0.10 |
| allo- | 9.05 | 1587.9 | 0.01 | 10.88 | 1454.9 | 0.02 |

| | | | | | | |
|--|--------|--------|--------|--------|--------|--------|
| Aromadendrene | | | | | | |
| <i>trans</i> -Cadina-1(6),4-diene | 9.24* | 1602.9 | [0.08] | 11.06 | 1468.2 | 0.04 |
| Germacrene D | 9.81 | 1648.8 | 0.02 | 11.17 | 1476.3 | 0.01 |
| α -Selinene | 10.01 | 1664.4 | 0.01 | 11.38* | 1492.4 | [1.29] |
| Viridiflorene | 9.68 | 1637.7 | 0.03 | 11.38* | 1492.4 | [1.29] |
| Bicyclogermacrene | 10.10* | 1671.7 | [1.26] | 11.38* | 1492.4 | [1.29] |
| α -Murolene | 10.10* | 1671.7 | [1.26] | 11.45 | 1497.8 | 0.01 |
| (3E,6E)- α -Farnesene | 10.54 | 1708.1 | 0.07 | 11.62 | 1510.3 | 0.06 |
| δ -Cadinene | 10.50 | 1704.4 | 0.01 | 11.75 | 1521.1 | 0.02 |
| Spathulenol | 14.44 | 2056.9 | 0.05 | 12.38 | 1571.0 | 0.05 |
| Caryophyllene oxide | 12.80 | 1903.6 | 0.06 | 12.44 | 1575.4 | 0.09 |
| Viridiflorol | 14.06 | 2020.4 | 0.02 | 12.56 | 1584.7 | 0.01 |
| Isospathulenol | 15.48 | 2159.8 | 0.02 | 13.15 | 1632.7 | 0.02 |
| Unknown PISI IV [m/z 257, 258 (20), 91 (19), 272 (18)] | 16.36 | 2250.7 | 0.01 | 17.23 | 1997.1 | 0.02 |
| Total reported | | 99.08% | | | 99.62% | |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index