

Safety Data Sheet

Revision Date 10-Oct-2019

Version: 6.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name

Osmocote Exact Standard High K 3-4M; 11-11-18+TE

Product Code:

88260225EA

Pure substance/mixture

Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Fertilizer (PC12). Restricted to professional users.

Uses Advised Against:

Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Everris International B.V. Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Eye Irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal Word: Danger

Hazard Statements:

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

Contains Ammonium nitrate; NH_4NO_3 , Potassium sulphate; K_2SO_4

Precautionary Statements:

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards (UN-GHS)

Toxic to aquatic life

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Ammonium nitrate; NH_4NO_3	229-347-8	6484-52-2	25 - 40%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Potassium sulphate; K_2SO_4	231-915-5	7778-80-5	10 - 25%	Eye Dam. 1 (H318)	01-2119489441-34
Calcium sulphate dihydrate; $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	231-900-3	10101-41-4	0.1 - 1%	Not classified	01-2119444918-26
Iron sulphate; $\text{FeSO}_4 \cdot \text{H}_2\text{O}$	231-753-5	7720-78-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Talc	238-877-9	14807-96-6	0.1 - 1%	Not classified	Exempt
Iron-EDTA-13; Fe-EDTA	239-802-2	15708-41-5	0.1 - 1%	Not classified	01-2119496228-27
Copper sulphate anhydrous; CuSO_4	231-847-6	7758-98-7	0.1 - 1%	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40
Manganese sulphate; $\text{MnSO}_4 \cdot \text{H}_2\text{O}$	232-08-99	7785-87-7	0.1 - 1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35
Urea	200-315-5	57-13-6	0.1 - 1%	Not classified	01-2119463277-33
Sodium borate; $\text{Na}_2\text{B}_4\text{O}_7$	215-540-4	1330-43-4	< 0.1%	Eye Irrit. 2 (H319) Repr. 1B (H360FD)	01-2119490790-32
Calcium fluoride; CaF_2	232-188-7	7789-75-5	< 0.1%	Not classified	Exempt
Zinc sulphate mono hydrate; $\text{ZnSO}_4 \cdot \text{H}_2\text{O}$	231-793-3	7446-19-7	< 0.1%	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27
Sodium molybdate; Na_2MoO_4	231-551-7	7631-95-0	< 0.1%	Not classified	01-2119489495-21
Magnesium oxide; MgO	215-171-9	1309-48-4	< 0.1%	Not classified	Exempt

Component	SVHC candidates
Sodium borate; $\text{Na}_2\text{B}_4\text{O}_7$ 1330-43-4 (< 0.1%)	Present

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice:

First aid measures should be executed by trained personnel only.

Inhalation

Dusty conditions are unlikely if product is used as intended. However, if prolonged inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.

Skin Contact:

If a person feels unwell or symptoms of skin irritation appear, consult a physician. Rinse with plenty of water.

Eye Contact:

Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.

Ingestion:

If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO₂, water spray or "alcohol" foam.

Unsuitable Extinguishing Media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Avoid dust formation. Sweep-up to prevent slipping hazard.

For Emergency Responders:

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

6.3. Methods and material for containment and cleaning up

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for Cleanup:

Shovel or sweep up.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures between 0 °C and 40 °C.

Packaging Materials:

LGK (Germany)

Store in original container. Store in a closed container.
13

7.3. Specific end use(s)

Specific use(s)

Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions
Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ammonium nitrate; NH₄NO₃

Australia

N.A.

Czech Republic OEL

10.0 mg/m³ TWA

<i>Potassium sulphate; K₂SO₄</i>	
Bulgaria - OEL- TWAs	10.0 mg/m ³ TWA
Latvia - OEL - TWAs	10 mg/m ³ TWA
<i>Calcium sulphate dihydrate; CaSO₄+2H₂O</i>	
Belgium - 8 Hr TWA	10 mg/m ³ TWA
Portugal	TWA: 10 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
UK EH40 WEL (8h)	10 mg/m ³ TWA (Inhalable) 4 mg/m ³ TWA (Respirable)
<i>Iron sulphate; FeSO₄+1H₂O</i>	
Belgium - 8 Hr TWA	1 mg/m ³
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³ STEL: 2 mg/m ³
Norway	TWA: 1 mg/m ³ STEL: 2 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK EH40 WEL (8h)	LTEL (8 hr TWA) 1 mg/m ³ STEL (15 min) 2mg/m ³
<i>Talc</i>	
Austria	TWA: 2 mg/m ³
Australia	2.5 mg/m ³ TWA
Belgium - 8 Hr TWA	2 mg/m ³ TWA
Bulgaria - OEL- TWAs	1.0 fiber/cm ³ TWA (containing <2% free Crystalline silicon dioxide in respirable fraction, respirable fraction, fibers); 6.0 mg/m ³ TWA (containing <2% free Crystalline silicon dioxide in respirable fraction, inhalable fraction); 3.0 mg/m ³ TWA (containing <2% free Crystalline silicon dioxide in respirable fraction, respirable fraction)
Czech Republic OEL	2.0 mg/m ³ TWA (as respirable fraction, <=5% Silica, Cristobalite, Tridymite and .gamma.-Aluminium oxide)
Denmark	TWA: 0.3 fiber/cm ³
Finland	TWA: 0.5 fiber/cm ³ STEL: 1 ppm
Hungary - OEL - TWAs	2 mg/m ³ TWA
Ireland	TWA: 0.8 mg/m ³ STEL: 2.4 mg/m ³
Japan	0.5 mg/m ³ OEL
Korea - ISHA - OEL - TWAs	6 mg/m ³ TWA (soapstone, Serial No. 317); 3 mg/m ³ TWA (soapstone, respirable fraction, Serial No. 318); 2 mg/m ³ TWA (as Talc containing no asbestos fibers, respirable fraction, Serial No. 720)
Malaysia	2 mg/m ³ TWA (respirable fraction of particulate matter)
NL MAC - TWA:	TWA: 0.25 mg/m ³
Norway	TWA: 2 mg/m ³ STEL: 2 mg/m ³
Poland	TWA: 1.0 mg/m ³
Portugal	TWA: 2 mg/m ³
Romania - OEL - TWAs	2 mg/m ³ TWA (and no Quartz >=1%, dust, inhalable fraction)
Slovenia - OEL - TWAs	2 mg/m ³ TWA (respirable fraction)
Spain - Valores Limite Ambientales - VLE	TWA: 2 mg/m ³
Singapore - OEL:PELs	2 mg/m ³ PEL
Switzerland	TWA: 2 mg/m ³
UK EH40 WEL (8h)	1 mg/m ³ TWA
<i>Iron-EDTA-13; Fe-EDTA</i>	
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK EH40 WEL (8h)	1 mg/m ³ TWA
<i>Copper sulphate anhydrous; CuSO₄</i>	
Austria	STEL 4 mg/m ³ TWA: 1 mg/m ³
Australia	N.A.

Finland	TWA: 0.02 mg/m ³
Poland	TWA: 0.2 mg/m ³
Russia TWA	0.5 mg/m ³ TWA 1258
Switzerland	STEL: 0.2 mg/m ³ TWA: 0.1 mg/m ³
<i>Manganese sulphate; MnSO₄·1H₂O</i>	
Austria	STEL 2 mg/m ³ TWA: 0.5 mg/m ³
Australia	0.2 mg/m ³
Belgium - 8 Hr TWA	0.2 mg/m ³
Denmark	TWA: 0.2 mg/m ³
Finland	TWA: 0.02 mg/m ³ TWA: 0.2 mg/m ³
Ireland	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³
Japan	0.2 mg/m ³ OEL Mn
NL MAC - TWA:	STEL: 0.05 mg/m ³ TWA: 0.2 mg/m ³
Norway	TWA: 0.1 mg/m ³ STEL: 0.1 ppm
Poland	TWA: 0.05 mg/m ³
Portugal	TWA: 0.2 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Switzerland	TWA: 0.5 mg/m ³
UK EH40 WEL (8h)	5 mg/m ³
<i>Urea</i>	
Bulgaria - OEL- TWAs	10.0 mg/m ³ TWA
Latvia - OEL - TWAs	10 mg/m ³ TWA
<i>Sodium borate; Na₂B₄O₇</i>	
Australia	1 mg/m ³ TWA
Belgium - 8 Hr TWA	2 mg/m ³ TWA borate
Denmark	TWA: 1 mg/m ³
FR - OEL - 8h VMes	TWA: 1 mg/m ³
Iceland - OEL - 8 Hour	1 mg/m ³ TWA
Ireland	TWA: 1 mg/m ³ STEL: 3 mg/m ³
Korea - ISHA - OEL - TWAs	1 mg/m ³ TWA (anhydrous, Serial No. 244)
Malaysia	1 mg/m ³ TWA
Norway	TWA: 1 mg/m ³ STEL: 2 mg/m ³
Portugal	STEL: 6 mg/m ³ TWA: 2 mg/m ³
Spain - Valores Limite Ambientales - VLE	STEL: 6 mg/m ³ TWA: 2 mg/m ³
Singapore - OEL:PELs	1 mg/m ³ PEL
Switzerland	STEL: 0.8 mg/m ³
UK EH40 WEL (8h)	1 mg/m ³ TWA
<i>Calcium fluoride; CaF₂</i>	
Denmark	TWA: 2.5 mg/m ³
Ireland	TWA: 2.5 mg/m ³ STEL: 7.5 mg/m ³
Latvia - OEL - TWAs	0.5 mg/m ³ TWA (as F, listed under Hydrofluoric acid salts)
Poland	TWA: 2 mg/m ³
Portugal	TWA: 2.5 mg/m ³
Romania - OEL - TWAs	1 mg/m ³ TWA
Russia TWA	0.5 mg/m ³ TWA 1104
<i>Sodium molybdate; Na₂MoO₄</i>	
Austria	STEL 10 mg/m ³ TWA: 5 mg/m ³
Czech Republic OEL	5 mg/m ³ TWA
Denmark	TWA: 5 mg/m ³
Finland	TWA: 0.5 mg/m ³
FR - OEL - 8h VMes	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Ireland	TWA: 10 mg/m ³ STEL: 30 mg/m ³
Norway	TWA: 5 mg/m ³

	STEL: 10 mg/m ³
Poland	STEL: 10 mg/m ³ TWA: 4 mg/m ³
Portugal	TWA: 0.5 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 0.5 mg/m ³
Switzerland	TWA: 5 mg/m ³
Magnesium oxide; MgO	
Austria	STEL 10 mg/m ³ TWA: 5 mg/m ³
Australia	10 mg/m ³ TWA fume
Belgium - 8 Hr TWA	10 mg/m ³
Bulgaria - OEL- TWAs	10.0 mg/m ³ TWA
Czech Republic OEL	5 mg/m ³ TWA
Denmark	TWA: 6 mg/m ³
FR - OEL - 8h VMEs	TWA: 10 mg/m ³
Hungary - OEL - TWAs	6 mg/m ³ TWA
Iceland - OEL - 8 Hour	6 mg/m ³ TWA Mg
Ireland	TWA: 4 mg/m ³ STEL: 10 mg/m ³
Korea - ISHA - OEL - TWAs	10 mg/m ³ TWA (Serial No. 277)
Malaysia	10 mg/m ³ TWA (fume)
Norway	TWA: 10 mg/m ³ STEL: 20 mg/m ³
Poland	TWA: 10 mg/m ³
Portugal	TWA: 10 mg/m ³
Romania - OEL - TWAs	5 mg/m ³ TWA (fume)
Spain - Valores Limite Ambientales - VLE	TWA: 10 mg/m ³
Singapore - OEL:PELs	10 mg/m ³ PEL
Switzerland	TWA: 3 mg/m ³
UK EH40 WEL (8h)	10 mg/m ³

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Ammonium nitrate; NH ₄ NO ₃ 6484-52-2 (25 - 40%)	36 mg/m ³	5.12 mg/kg bw/day	8.9 mg/m ³
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)		21.3 mg/kg bw/day	37.6 mg/m ³
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (0.1 - 1%)	37.6 mg/m ³	0.004 mg/kg bw/day	0.2 mg/m ³
Urea 57-13-6 (0.1 - 1%)		580 mg/kg bw/day	292 mg/m ³
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O 7446-19-7 (< 0.1%)		8.3 mg/kg bw/day	1 mg/m ³

Predicted No Effect Concentration (PNEC)

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Ammonium nitrate; NH ₄ NO ₃ 6484-52-2 (25 - 40%)						18 mg/l
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)	0.68 mg/l		0.068 mg/l			10 mg/l
Copper sulphate anhydrous; CuSO ₄ 7758-98-7 (0.1 - 1%)	7.8 µg/l	87 mg/kg	5.2 µg/l	676 mg/kg	65 mg/kg	230 µg/l
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (0.1 - 1%)	0.013 mg/l	0.011 mg/kg	0 mg/l	0.001 mg/kg	25.1 mg/kg	25.1 mg/kg

Urea 57-13-6 (0.1 - 1%)	0.47 mg/l		0.047 mg/l			
Zinc sulphate mono hydrate; ZnSO ₄ +1H ₂ O 7446-19-7 (< 0.1%)	20.6 µg/l		6.1 µg/l	56.5 mg/kg	35.6 mg/kg	100 µg/l

8.2. Exposure controls**Personal protective equipment****Eye/Face Protection**

Wear eye/face protection

Hand protection

Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection

Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit

Skin and body protection:

Lightweight protective clothing

Hygiene Measures:

Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****Physical State:**

Solid

Appearance:

Granules

Color:

brown.

Odor:

None

Bulk density:900 - 1100 kg/m³**Melting Point/Freezing Point:**

No data available

Boiling Point/Range:

Solid. Not applicable.

Flash Point:

Solid. Not applicable.

Evaporation Rate:

Solid. Not applicable.

Flammability (solid, gas):

Not flammable

Vapor Pressure:

Solid. Not applicable.

Vapour density

Solid. Not applicable.

Relative density

No data available

Water Solubility:

No data available

Solubility(ies)

No data available

Partition Coefficient:

Solid. Not applicable.

Autoignition Temperature:

No data available

Decomposition temperature:

No data available

Explosive Properties:

Doesn't present explosion hazard.

9.2. Other information**VOC Content (%):**

Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Keep away from catalysts like derivatives of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	May cause slight irritation.
Skin Contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.

Information on Toxicological Effects

None known

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 34,038.00 mg/kg

mg/kg mg/l

Unknown Acute Toxicity: 7% of the mixture consists of ingredient(s) of unknown toxicity.

Potassium sulphate; K₂SO₄ (7778-80-5)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium nitrate; NH ₄ NO ₃	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat) 4 h
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	N.E.
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Iron-EDTA-13; Fe-EDTA	= 5 g/kg (Rat) > 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 2.05 g/m ³ (Rat) 4 h
Copper sulphate anhydrous; CuSO ₄	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Manganese sulphate; MnSO ₄ +1H ₂ O	= 2125 mg/kg (Rat)		> 4.98 mg/L (Rat) 4h
Urea	= 8471 mg/kg (Rat)		
Sodium borate; Na ₂ B ₄ O ₇	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2 mg/m ³ (Rat) 4 h
Calcium fluoride; CaF ₂	= 4250 mg/kg (Rat)		
Sodium molybdate; Na ₂ MoO ₄	= 4233 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2080 mg/m ³ (Rat) 4 h
Magnesium oxide; MgO	= 3870 mg/kg (Rat) = 3990 mg/kg (Rat)		

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.

Aspiration Hazard

Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION**12.1. Toxicity****Ecotoxicity****Unknown Aquatic Toxicity**

Should not be released into the environment

9% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ammonium nitrate; NH ₄ NO ₃	-	65 - 85: 48 h Cyprinus carpio mg/L LC50 semi-static	-	-
Potassium sulphate; K ₂ SO ₄	2900: 72 h Desmodium subspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static	-	890: 48 h Daphnia magna mg/L EC50
Iron sulphate; FeSO ₄ ·1H ₂ O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static	-	152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static
Talc	-	100: 96 h Brachydanio rerio g/L LC50 semi-static	-	-
Copper sulphate anhydrous; CuSO ₄	-	0.1: 96 h Oncorhynchus mykiss mg/L LC50	-	0.024: 48 h Daphnia magna mg/L EC50
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
Sodium borate; Na ₂ B ₄ O ₇	158: 96 h Desmodium subspicatus mg/L	340: 96 h Limanda limanda mg/L LC50	-	1085 - 1402: 48 h Daphnia magna mg/L LC50

12.2. Persistence and degradability**Persistence and Degradability:**

No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential**Bioaccumulation:**

Does not bioaccumulate.

Chemical Name	LOGPOW
Ammonium nitrate; NH ₄ NO ₃	-3.1
Urea	-1.59

12.4. Mobility in soil

No data available.

12.5. PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

Section 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging:	Do not reuse container.
Other Information	Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG

14.1
UN-No: Not regulated

14.2
Proper shipping name: Not regulated

14.3
Hazard Class: Not regulated

14.4
Packing group: Not regulated

Chemical Name	IMDG - Marine Pollutants
Copper sulphate anhydrous; CuSO ₄ 7758-98-7 (0.1 - 1%)	IMDG regulated marine pollutant (Listed in the index, listed under Copper sulphate, anhydrous, hydrates and solution)

Marine Pollutant: No information available

14.6
Special Provisions None

14.7
Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID

14.1
UN-No: Not regulated

14.2
Proper shipping name: Not regulated

14.3
Hazard Class: Not regulated

14.4
Packing group: Not regulated

14.5
Environmental Hazard Not regulated

14.6
Special Provisions None

IATA

14.1
UN-No: Not regulated

14.2
Proper shipping name: Not regulated

14.3
Hazard Class: Not regulated

14.4
Packing group: Not regulated

14.5
Environmental Hazard Not regulated

14.6
Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH_4NO_3 6484-52-2 (25 - 40%)	2500 tonne (technical grade; (a) this applies to Ammonium nitrate in which the Nitrogen content as a result of Ammonium nitrate is (i) between 24.5% and 28% by weight and which contain $\leq 0.4\%$ total combustible or (ii) $>28\%$ by weight and which contain $\leq 0.2\%$ combustible substances (b) aqueous Ammonium nitrate solutions in which the concentration of Ammonium nitrate is $>80\%$ by weight)	350 tonne

Denmark

Denmark

No data available

France

ICPE

Not regulated

Germany

LGK (Germany)

13

Water Endangering Class (WGK):

1 (Everris classification)

Gefahrstoffverordnung (Germany) TRGS 511

C III

Component	German WGK Section
Ammonium nitrate; NH_4NO_3 6484-52-2 (25 - 40%)	1
Potassium sulphate; K_2SO_4 7778-80-5 (10 - 25%)	1
Calcium sulphate dihydrate; $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ 10101-41-4 (0.1 - 1%)	1
Iron sulphate; $\text{FeSO}_4 \cdot \text{H}_2\text{O}$ 7720-78-7 (0.1 - 1%)	1
Talc 14807-96-6 (0.1 - 1%)	NWG
Iron-EDTA-13; Fe-EDTA 15708-41-5 (0.1 - 1%)	2
Copper sulphate anhydrous; CuSO_4 7758-98-7 (0.1 - 1%)	2
Manganese sulphate; $\text{MnSO}_4 \cdot \text{H}_2\text{O}$ 7785-87-7 (0.1 - 1%)	2
Urea 57-13-6 (0.1 - 1%)	1
Sodium borate; $\text{Na}_2\text{B}_4\text{O}_7$ 1330-43-4 ($< 0.1\%$)	1
Calcium fluoride; CaF_2 7789-75-5 ($< 0.1\%$)	1
Zinc sulphate mono hydrate; $\text{ZnSO}_4 \cdot \text{H}_2\text{O}$ 7446-19-7 ($< 0.1\%$)	3
Sodium molybdate; Na_2MoO_4 7631-95-0 ($< 0.1\%$)	1
Magnesium oxide; MgO 1309-48-4 ($< 0.1\%$)	1

Component	EU - Explosives Precursors Marketing and Use (98/2013) - Substances Subject to Suspicious Transactions Reporting	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium nitrate; NH_4NO_3 6484-52-2 (25 - 40%)	Present (in concentration of 16% by weight of Nitrogen in relation to Ammonium nitrate or higher)	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)
Sodium borate; $\text{Na}_2\text{B}_4\text{O}_7$ 1330-43-4 ($< 0.1\%$)		Use restricted. See item 30.

Component	EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances for Eventual Inclusion in Annex XIV
Sodium borate; $\text{Na}_2\text{B}_4\text{O}_7$ 1330-43-4 ($< 0.1\%$)	Reason for inclusion Toxic for reproduction, Article 57c (215-540-4)

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH_4NO_3	Use restricted. See item 58.	
Sodium borate; $\text{Na}_2\text{B}_4\text{O}_7$	Use restricted. See item 30.	

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Ammonium nitrate; NH_4NO_3	350	2500

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H360FD - May damage fertility. May damage the unborn child
- H319 - Causes serious eye irritation
- H272 - May intensify fire; oxidizer
- H302 - Harmful if swallowed
- H318 - Causes serious eye damage
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects
- H315 - Causes skin irritation
- H373 - May cause damage to the kidneys/ liver/ eyes/ brain/ respiratory system/ central nervous system through prolonged or repeated exposure in contact with skin
- H411 - Toxic to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACH: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit

TWA: Time Weighted Average

ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%.

SVHC: Substance of Very High Concern.

Classification procedure

- Calculation method
- Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Restrictions on use

Restricted to professional users

Reason for revision

*** Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from

abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.