Product information





Sierraform®

All Season



For healthy turf

6 | 18 | 2.0 | TE P₂O₅

Description

If your turf is looking less than perfect and showing signs of stress, simply reach for the Sierraform® GT All Season. It'll be on the road to recovery in just a few days. This fertilizer contains NPK in a normalrelease form plus slow-release nitrogen and potassium, a full range of trace elements to improve turf health, plus magnesium for a boost to color. You can use it after aerating to encourage growth. These homogeneous micro-granules feature our patented MU2 and SilK coating technologies. Sierraform® GT All Season releases nutrients for 6 – 8 weeks in cooler weather and is your ideal choice from spring to autumn, especially for areas of fine turf.

Guaranteed analysis

Oxide

N	Total Nitrogen	18%
	Ammoniacal nitrogen (N-NH ₄)	1.3%
	Urea nitrogen (N-Urea)	7.9%
	Ureaformaldehyde (N-MU)	8.2%

P ₂ O ₅	Phosphorus Pentoxide	6%
	Water soluble (P ₂ O ₅)	5%
K ₂ O	Potassium Oxide	18%
	Water Soluble (K ₂ O)	18%
MgO	Magnesium Oxide	2%
Cu	Copper	0.02%
Fe	Iron	0.5%
Mn	Manganese	0.1%
Мо	Molybdenum	0.001%
Zn	Zinc	0.02%

Benefits

- Nalanced N&K ratio for strong in-season growth
- **♦** Slow release N (MU) for consistent and sustained turf response
- Mg supplied for added color
- **↑** TE supplied in case of deficiency

Application rates & Spreader settings

Accupro 360ST	Rates	Rates and settings							
SmartSpread setting	Spread width (m)	15 g/m²	20 g/m²	25 g/m²	30 g/m²	35 g/m²	40 g/m²	45 g/m²	50 g/m²

Accupro 360ST			Rates and settings							
Single Pass	1	3	9½	10½	11	12	12½	13	14	14½
Double pass	I	3		81/2	9	9½	10	10½		11

Recommended Rate:


 $20 - 30 \text{ g/m}^2$

Trial first on a small scale before changing the rate, or any other variables. As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

How to use

- Apply to dry foliage and irrigate after 1 2 days if there is no rainfall. Irrigation helps with dispersion and lowers risk of mower pick-up on close cut surfaces. Watering-in after application will minimize footprint trails. Avoid applying during frosty or drought conditions.
- Delay any vertical cutting and/or grooming until 3 days after application, to allow the granules to properly disperse. Significantly less nitrogen is released when soil temperatures are below 10° C.
- If spilled on pavement, concrete, clothes, etc. brush off immediately as it can stain. Contains iron: do not apply in case of risk of contact with concrete, marble, stone, fabric, or swimming pools.
- If you need more information, please contact your technical support.

Recommended period of use



Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

https://icl-growingsolutions.com/turf-landscape/products/sierraform-gt-all-season/

Last updated on: 28/01/2025

ICL Growing Solutions
© 2025 ICL. All rights reserved.

