


Tech specs

FIBRA

Case B (175)

Casing for up to two Ajax devices



Compatibility

LineSplit Fibra >

LineProtect Fibra >

MultiRelay Fibra >



Devices installation

Number of devices

2

To install a different number of devices, select a model with the appropriate number of slots:

- Case A (106);
- Case C (260);
- Case D (430).

Plastic latches

to secure devices

Slide the latches to remove the device.

Cable fasteners

to hold the cables together with ties

Plastic stoppers

to protect the installed devices

During drilling, the instrument rests on the Case stoppers.

Bubble level

To check the inclination angle of the casing during installation.

Recesses for drilling

Ø16 mm or Ø20 mm

The drill bit is fixed in the recess and does not move during drilling. We recommend using a hole saw for plastic.

Wider holes

To ensure that the casing is installed correctly, even if there are errors during installation.

Key features

Tamper board

Included in the Case complete set. The tamper board connects to the appropriate connector of one of the devices and protects the installed devices from sabotage.

What is tamper >

Rotate devices

by 180°

The devices can be rotated by 180°, giving two options for fixation.

Holding screws

in the casing lid

Rotate the lid

by 180°

The lid of Case B (175) can be rotated by 180° during installation.

Latches

to secure the lid during installation

The latches prevent the lid from falling off Case until it is secured with screws.

Recomendations

Case

[Where to buy](#)

Product

Dimensions

175 × 225 × 57 mm

Weight

14.6 g

Operating temperature range

from -10 °C to +40 °C

Operating humidity



up to 75%

Protection class

IP20



57 mm

Colours

Black



White



Complete set

Case B (175)

Tamper board

Installation kit

Quick start guide

Additional information

Compliance with standards

[Learn more >](#)

User manual

[Learn more >](#)

Warranty

24 months

[Learn more >](#)

Subscribe

Subscribe to our emails about secure life. No spam.

[Subscribe](#)

Request extra help

✉ support@ajax.systems

🗣 [@AjaxSystemsSupport_Bot](#)



Rating 4.6

2,500,000

people worldwide under Ajax protection



Products

Superior

Fibra

Intrusion protection

Video surveillance

Fire detection

Water leak prevention

Comfort & Productivity

Solutions

Why Ajax

How it works

Scenarios

Customer stories

Ajax Ready products

Reviews and feedback

Company

Blog

About us

Press page

Events

Career

Software

For users

PRO Desktop

Ajax Translator

Scenarios



Available on
App Store



Available on
Google Play

Support

Manuals and articles

Compliance with standards

Tools

Battery life calculator

Radio communication range calculator

Fibra power supply calculator

Light switches configurator

Ajax devices compatibility

For partners

Business with Ajax

Events

Brandbook

Ajax SIM

Enterprise API

CMS integration

 România Privacy policy GDPR White Paper NDAA Statement Cookie policy Anti-Spam Policy End user agreement
Warranty

© 2023 AJAX SYSTEMS CH. All rights reserved