

DS-D5019S0-1P0
18.5 inch Monitor



- 178° ultra-wide view screen.
- 3D noise reduction.
- Low blue light design for eye care.
- Dual interface of HDMI and VGA.
- Support VESA wall mount.

▪ Specification


Display	
Screen Size	18.5 inch
Active Display Area	409.8 (H) mm × 230.4 (V) mm
Resolution	1366 × 768
Backlight	E-LED
Pixel Pitch	0.300 mm (H) × 0.300 mm (V)
Brightness	200 cd/m ²
Viewing Angle	178° (H)/178° (V)
Color Depth	8 bit, 16.7 M
Contrast Ratio	1000:1
Response Time	14 ms
Refresh Rate	Max. 75 Hz, Typ. 60 Hz
Haze	Haze 25%, 3H
Reliability	7 × 12 H
Color Gamut	72% NTSC
Interface	
Video & Audio Input	HDMI 1.4 × 1, VGA × 1
Power	
Power Supply	DC 12 V, 2.0 A
Power Consumption	≤ 24 W
Standby Consumption	≤ 0.5 W
Working Environment	
Working Temperature	0 °C to 40 °C (32 °F to 104 °F)
Working Humidity	20% RH to 90% RH (Non-Condensing)
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
Storage Humidity	10% RH to 90% RH (Non-Condensing)
General	
Casing Material	Plastic
VESA	75 mm × 75mm (4 - M4 × 6 mm)
Bezel Width	17.84mm (left/right), 18.39 mm (top), 26.39 mm (bottom)
Product Dimensions (W × H × D)	With base: 447.00 (W) mm × 351.04 (H) mm × 200.21 (D) mm (17.60" × 13.82" × 7.88") Without base: 447.00 (W) mm × 276.00 (H) mm × 46.00 (D) mm (17.60" × 10.87" × 1.81")
Package Dimensions (W × H × D)	487 (W) mm × 363 (H) mm × 97 (D) mm
Net Weight	1.9 ± 0.5 kg (4.19 ± 1.1 lb)
Gross Weight	2.4 ± 0.5 kg (5.29 ± 1.1 lb)
Packing List	Monitor × 1, Base component × 1, Power adapter (12 V, 2.0 A) × 1, HDMI cable (1.5 m) × 1, User manual × 1, Multilingual manual × 1
Remarks	The base is included by default. The product appearance and parameters in this specification may vary from your actual device. Please consult our local sales staff for further information

Physical Interface

Interface	Interface	Interface	Interface
HDMI	HDMI 1.4 digital signal input interface	VGA	VGA analog signal input interface
DC	DC 12 V 2.0 A input interface		



HDMI



VGA




DC

Available Model

DS-D5019S0-1P0

Dimension



- **Accessory**
- **Optional**

DS-DM1940W
Wall-mounted Bracket

**Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

