

DS-MH1411-N1 Body Camera Charge Cradle



- Charges DS-MH2311 series body camera and copies data.
- Charges battery of DS-MH2311 series body camera.
- Compact appearance.
- Connectable to dock station.


▪ Specification

General	
Power Supply	5.4 VDC/2.2 A
Charging Current	1 A for DS-MH2311 series body camera; 500 mA for the battery of the body camera
Charging Duration for Body Camera Battery	Approx. 8 h (connected with dock station), approx. 3 hours without host (connected with adaptor), approx. 8 h with host (connected with adaptor)
Charging Duration for Body Camera Host	Approx. 5.5 h (connected with dock station), approx. 3.5 h (connected with adaptor)
Indicator Status	
Power	Solid red: the power supply is normal.
Charge	Solid red: the body camera or battery is being charged. Solid green: the body camera or battery is fully charged.
Power:	Solid red: the power supply is normal.
Charge:	Solid red: the body camera or battery is being charged. Solid green: the body camera or battery is fully charged.
Performance	
Working Temperature	0 °C to 45 °C (32 °F to 113 °F)
Working Humidity	≤ 90%

▪ Available Model

DS-MH1411-N1

▪ **Dimension**



▪ **Accessory**



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

