

DHI-LPH65/75/86-ST420-L

Smart Interactive Whiteboard



- Displays in 4K Ultra HD and uses 4K UI.
- Features split screen, and performs screen sharing between the whiteboard and phones, computers, tablets and more devices.
- Supports writing on the whiteboard and recognizes handwriting and graphics.
- Microsoft Office and other related software can be installed, and it can play audio and video files in various formats.
- Wireless presentation from any device.
- Annotation on any source.

System Overview

Dahua DeepHub Smart Interactive Whiteboard for education has powerful processing capabilities with its 4-core CPU and up to 8 GB RAM 128G storage capacity. Equipped with a high-precision infrared frame with a 2 mm identification diameter, and a 4K highdefinition DLED module, this whiteboard will give you an extraordinary experience with writing, controlling the whiteboard and displaying content on it. It features video conferencing, wireless screen sharing, file management, HD display, scan & go, and more AI functions to enhance your experience. You can rely on this whiteboard to modernize your meeting rooms and classrooms.

Scene

The whiteboard is ideal for indoor sites such as classrooms and other indoor sites.

Functions

4K HD Display

With up to 3840 × 2160 resolution, the 4K HD display delivers a clear image in sharp, vivid colors.

File Management


Supports managing and using Office files, image, video and audio files, and file formats such as PDF and TXT.

Text Recognition


Converts written letters into text in real time, using the default font of the system.

Technical Specification		Touchscreen	
Built-in System		Touch Technology	Infrared touch technology
Operating System	Android 13.0	Response Time	≤ 6 ms
CPU	Quad-core A55	Touch Points	Android: 20, Windows: 40
CPU Frequency	1.9 GHz	Valid Touch	2 mm
GPU	Mali G52 MP2	Writing Mode	Finger and stylus pen (magnetic)
RAM	8 GB	Anti-light Interference	Anti-glare tempered glass
ROM	128 GB	Surface Hardness	> 7 hrs
Function		Touch Resolution	32,767 × 32,767
Operating System of External Module	Windows, macOS, Android, Linux, Google Chrome	Multi-user Writing Points	5
Wi-Fi	Wi-Fi 5, 802.11a/b/g/n/ac	Speaker	
Wi-Fi Hotspot	Wi-Fi 5, 2.4 GHz and 5 GHz dual band	Frequency	150 Hz–20 kHz
LCD Panel		Power	15 W × 2 (max)
Panel Dimensions	65 inch	Built-in Speaker	2
Backlight	DLED	General	
Aspect Ratio	16:9	Power Supply	100–240 VAC, 50/60 Hz
Brightness	350 cd/m² (typ.)	Power Consumption	65": ≤ 250 W 75": ≤ 350W 86": ≤ 450W
Resolution	3,840 (H) × 2,160 (V)	Operating Temperature	0 °C to 55 °C (32 °F to 131 °F)
Viewing Angle	178° (H); 178° (V)	Storage Temperature	-10 °C to +55 °C (14 °F to 131 °F)
Lifespan	≥ 50,000 hrs	Operating Humidity	20%–80% (RH)
Display Color	1.07 Billion	Storage Humidity	20%–90% (RH)
Refresh Rate	60 Hz	Product Material	Metal
Contrast	1200 (typ.), 5000 (dyn.)	Protective Glass	4.0 mm anti-glare tempered glass
Response Time	8 ms (typ.)	Casing Color (Frame/Rear)	Black
Device Ports		Product Dimensions	65 »: 1,485.2 mm × 916.6 mm × 116.5 mm 75": 1,707.5 mm × 1,041.9 mm × 116.7 mm 86": 1,953.2 mm × 1,180 mm × 116.5 mm
Front Button	7 buttons (home, touch lock, increase the volume, decrease the volume, signal source, return and power supply)	Frame Size	U: 61.5 mm, L/R: 17.6 mm, D: 28.3 mm
Front Ports	Type-C × 1; HDMI IN × 1; Touch Type-B × 1; USB Type-A × 3	Packaging Dimensions	65": 1,576 mm × 200 mm × 980 mm 75": 1,785 mm × 200 mm × 1,125 mm 86": 2,040 mm × 200 mm × 1,260 mm
Network Port	1 (100 Mbps)	Net Weight / Gross Weight	65": 43 kg / 49 kg 75": 55 kg / 63 kg 86": 70 kg / 77 kg
Wi-Fi	1 Wi-Fi and 1 hotspot (single module)	Holes Distance	65": 500 mm × 400 mm 75": 600 mm × 400 mm 86": 800 mm × 400 mm
USB	USB 2.0 × 1; USB3.0 × 1; Touch USB2.0 × 1	Installation	Wall mount or mobile bracket
RS-232	1 DB9 for controlling the device	Standby Power Consumption	≤ 0.5 W
Video Input	HDMI IN 2.0 × 2; AV IN × 1	Packing List	Smart interactive whiteboard × 1
Video Output	AV OUT × 1		Stylus pen × 2
Audio Output	3.5 mm stereo line out × 1 (coaxial)		Power cable × 1
Others	OPS slot × 1		Quick start guide × 1
IrDA	1		Wall mount bracket × 1
Bluetooth	BT 5.0		Pack of wall mount screws × 1
Type-C Port	Front Type-C × 1		Antenna × 4

Installation



Dimensions (mm[inch])



Panels

