

	<b>SAFETY DATA SHEET</b>	Page : 1 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : ANYCUBIC  
Tough Resin Ultra  
UFI : 7CXH-G4GG-WG1M-91PC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Resin

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Shenzhen Anycubic Technology Co.,Ltd  
1201-1314, Unit B, Block 3, Vanke Times Square, No.85 Longcheng Avenue, Longcheng Street, Longgang District  
518000 Shenzhen, Guangdong Province - China  
T +86 17688757950  
[weiwulin@anycubic.com](mailto:weiwulin@anycubic.com)

### 1.4. Emergency telephone number

Emergency number : +86 17688757950  
Only available during office hours.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
Skin Sens. 1 H317  
Aquatic Chronic 2 H411

Full text of H- and EUH-statements: see section 16

	<b>SAFETY DATA SHEET</b>	Page : 2 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word :

Warning

Contains :

2-Oxepanone, homopolymer, 2-[(1-oxo-2-propen-1-yl)oxy]ethyl ester

Hazard statements (CLP) :

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.  
P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P261 - Avoid breathing vapours, spray.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P391 - Collect spillage.  
P501 - Dispose of contents and container to an approved waste disposal plant.

Child-resistant fastening :

Not applicable

Tactile warning :

Not applicable

## 2.3. Other hazards

Other hazards :

Results of PBT and vPvB assessment : Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Oxepanone, homopolymer, 2-[(1-oxo-2-propen-1-yl)oxy]ethyl ester	(CAS-No.) 110489-05-9 (EC-No.) 600-970-0	20 – 40	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
isodecyl methacrylate	(CAS-No.) 29964-84-9 (EC-No.) 249-978-2	20 – 40	Not classified

	<b>SAFETY DATA SHEET</b>	Page : 3 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

Pentaerythritol, ethoxylated, esters with acrylic acid	(CAS-No.) 51728-26-8 (EC-No.) 500-111-9	20 – 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl]propan-2-yl)phenoxy]ethyl prop-2-enoate	(CAS-No.) 64401-02-1 (EC-No.) 613-584-2	10 – 25	Aquatic Chronic 2, H411
hydroxycyclohexyl phenyl ketone	(CAS-No.) 947-19-3 (EC-No.) 213-426-9	2 – 10	Not classified

Full text of H- and EUH-statements: see section 16

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Get medical advice/attention.

##### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: Health injuries are not known or expected under normal use.
Skin contact	: May cause an allergic skin reaction. Causes skin irritation. The following symptoms may occur: Redness, Pain.
Eyes contact	: Causes serious eye irritation. The following symptoms may occur: Redness, Pain.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO <sub>2</sub> ), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.

##### 5.2. Special hazards arising from the substance or mixture

Specific hazards	: Not flammable. Heating will cause a rise in pressure with a risk of bursting.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO <sub>2</sub> ).

##### 5.3. Advice for firefighters

Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

	<b>SAFETY DATA SHEET</b>	Page : 4 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

Other information : Do not allow run-off from fire-fighting to enter drains or water courses.  
Dispose of waste in accordance with environmental legislation.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **6.1.1. For non-emergency personnel**

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### **6.1.2. For emergency responders**

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

### **6.4. Reference to other sections**

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Contaminated work clothing must not be allowed out of the workplace. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Keep out of reach of children.

Storage conditions : Keep container tightly closed. Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.

	<b>SAFETY DATA SHEET</b>	Page : 5 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

- Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of direct sunlight.
- Special rules on packaging : Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep in properly labelled containers.
- Packaging materials : Keep only in the original container.

**7.3. Specific end use(s)**

Reference to other sections : 1.2.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

- Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

**8.2. Exposure controls**

- Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Personal protective equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Not determined. Breakthrough time : refer to the recommendations of the supplier. Thickness of the glove material: Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
- Eye protection : Use suitable eye protection (EN166): tightly fitting safety goggles
- Body protection : Wear suitable protective clothing
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: ABEK (EN 14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
- Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.
- Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental protection legislation.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

- Physical state : Liquid
- Appearance : Liquid.
- Colour : Grey.
- Odour : odourless.
- Odour threshold : No data available
- pH : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Melting / freezing point : No data available

	<b>SAFETY DATA SHEET</b>	Page : 6 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

Freezing point	: No data available
Initial boiling point and boiling range	: 238 °C
Flash point	: 150 °C
Auto-ignition temperature	: 252 °C
Decomposition temperature	: No data available
Flammability	: Not flammable
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: Not applicable
Solubility	: Insoluble in water. Soluble in ethanol.
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: 350 mPa·s (40°C)
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

## **9.2. Other information**

### **9.2.1. Information with regard to physical hazard classes**

No additional information available

### **9.2.2. Other safety characteristics**

No additional information available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

None under normal conditions. Reference to other sections: 10.4 & 10.5.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

	<b>SAFETY DATA SHEET</b>	Page : 7 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of direct sunlight. See Section 7 for information on safe handling.

#### 10.5. Incompatible materials

See Section 7 for information on safe handling.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Reference to other sections 5.2.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

<b>Pentaerythritol, ethoxylated, esters with acrylic acid (51728-26-8)</b>	
LD50/dermal/rat	> 2000 mg/kg
<b>isodecyl methacrylate (29964-84-9)</b>	
LD50/oral/rat	> 5000 mg/kg
LD50/dermal/rabbit	> 3000 mg/kg
LC50/inhalation/4h/rat	> 900 mg/m <sup>3</sup> (Exposure time: 1 h)
<b>hydroxycyclohexyl phenyl ketone (947-19-3)</b>	
LD50/dermal/rat	> 5000 mg/kg
LC50/inhalation/4h/rat	> 1000 mg/m <sup>3</sup> (Exposure time: 4 h)

Skin corrosion/irritation : Causes skin irritation.  
pH: No data available

Serious eye damage/irritation : Causes serious eye irritation.  
pH: No data available

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

<b>ANYCUBIC Tough Resin Ultra</b>	
Kinematic viscosity	No data available

Other information : Symptoms related to the physical, chemical and toxicological characteristics.  
For further information see section 4.

	<b>SAFETY DATA SHEET</b>	Page : 8 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **11.2.2 Other information**

Other information : Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Environmental properties : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

#### **Pentaerythritol, ethoxylated, esters with acrylic acid (51728-26-8)**

LC50 - Fish [1]	1,76 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-----------------	----------------------------------------------------------------------

#### **hydroxycyclohexyl phenyl ketone (947-19-3)**

LC50 - Fish [1]	24 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
-----------------	---------------------------------------------------------------

### **12.2. Persistence and degradability**

#### **ANYCUBIC Tough Resin Ultra**

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

### **12.3. Bioaccumulative potential**

#### **ANYCUBIC Tough Resin Ultra**

Partition coefficient n-octanol/water	No data available
---------------------------------------	-------------------

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

#### **2-[4-(2-{4-[2-(prop-2-enoyloxy)ethoxy]phenyl}propan-2-yl)phenoxy]ethyl prop-2-enoate (64401-02-1)**

Partition coefficient n-octanol/water	2,45 – 4,16 (at pH 6.97)
---------------------------------------	--------------------------

#### **isodecyl methacrylate (29964-84-9)**

Partition coefficient n-octanol/water	6,45 – 7,44 (at 22 °C (at pH 7)
---------------------------------------	---------------------------------

	<b>SAFETY DATA SHEET</b>	Page : 9 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

<b>hydroxycyclohexyl phenyl ketone (947-19-3)</b>	
BCF - Fish [1]	4 – 12 (whole body w.w.)
Partition coefficient n-octanol/water	2,81 (at 25 °C (at pH 5.8))

#### 12.4. Mobility in soil

<b>ANYCUBIC Tough Resin Ultra</b>	
Mobility in soil	No data available

#### 12.5. Results of PBT and vPvB assessment

<b>ANYCUBIC Tough Resin Ultra</b>	
Results of PBT assessment	Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 12.7. Other adverse effects

Other adverse effects : No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Beware of residues or vapours which remain in the drums. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.






European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
3082	3082	3082	3082	3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

	<b>SAFETY DATA SHEET</b>	Page : 10 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

ADR	IMDG	IATA	ADN	RID
N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate)	N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate)	(Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate)	N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate)	N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-[4-[2-(prop-2-enoyloxy)ethoxy]phenyl)propan-2-yl)phenoxy]ethyl prop-2-enoate), 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

**14.6. Special precautions for user**

Special precautions for user : No data available

**- Overland transport**

Classification code (ADR) : M6  
Special provisions : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19

	<b>SAFETY DATA SHEET</b>	Page : 11 / 15
		Revision nr : 1.0
	<b>ANYCUBIC Tough Resin Ultra</b>	Issue date : 21/09/2023
		Supersedes :

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

Orange plates :



Tunnel restriction code : -

EAC code : •3Z

**- Transport by sea**

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

**- Air transport**

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

**- Inland waterway transport**

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

	<b>SAFETY DATA SHEET</b>	Page : 12 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

Limited quantities (ADN) : 5 L  
 Excepted quantities (ADN) : E1  
 Carriage permitted (ADN) : T  
 Equipment required (ADN) : PP  
 Number of blue cones/lights (ADN) : 0

**- Rail transport**

Classification code (RID) : M6  
 Special provisions (RID) : 274, 335, 375, 601  
 Limited quantities (RID) : 5L  
 Excepted quantities (RID) : E1  
 Packing instructions (RID) : P001, IBC03, LP01, R001  
 Special packing provisions (RID) : PP1  
 Mixed packing provisions (RID) : MP19  
 Portable tank and bulk container instructions (RID) : T4  
 Portable tank and bulk container special provisions (RID) : TP1, TP29  
 Tank codes for RID tanks (RID) : LGBV  
 Transport category (RID) : 3  
 Special provisions for carriage – Packages (RID) : W12  
 Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31  
 Colis express (express parcels) (RID) : CE8  
 Hazard identification number (RID) : 90

**14.7. Maritime transport in bulk according to IMO instruments**

Code: IBC : No data available.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	ANYCUBIC Tough Resin Ultra ; Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-Oxepanone, homopolymer, 2-[(1-oxo-2-propen-1-yl)oxy]ethyl ester
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	ANYCUBIC Tough Resin Ultra ; Pentaerythritol, ethoxylated, esters with acrylic acid ; 2-[4-(2-{4-[2-(prop-2-enoyloxy)ethoxy]phenyl}propan-2-yl)phenoxy]ethyl prop-2-enoate

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

	<b>SAFETY DATA SHEET</b>	Page : 13 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

### 15.1.2. National regulations

#### France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
4511.text	Dangereux pour l'environnement aquatique de catégorie chronique 2.		
4511.1	La quantité totale susceptible d'être présente dans l'installation étant : 1. Supérieure ou égale à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.	A	1
4511.2	La quantité totale susceptible d'être présente dans l'installation étant : 2. Supérieure ou égale à 100 t mais inférieure à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.	DC	

#### Germany

Regulatory reference	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
German storage class (LGK)	: LGK 12 - Non-combustible liquids
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Hazardous Incident Ordinance (12. BImSchV)	: Listed in the 12. BImSchV (Annex I) under: 1.3.2 Quantity threshold for operational area under § 1 para. 1 <ul style="list-style-type: none"> <li>- Sentence 1: 200000 kg</li> <li>- Sentence 2: 500000 kg</li> </ul>

#### Netherlands

Waterbezwaarlijkheid	: A (2) - Vergiftig voor in water levende organismen kan in het aquatische milieu op lange termijn schadelijke effecten veroorzaken
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed

#### Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
-----------------------------------	-----------------------------------------------------------------------------

### 15.2. Chemical safety assessment

Not applicable

## SECTION 16: Other information

Abbreviations and acronyms:

	<b>SAFETY DATA SHEET</b>	Page : 14 / 15
		Revision nr : 1.0
		Issue date : 21/09/2023
	<b>ANYCUBIC Tough Resin Ultra</b>	Supersedes :

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the : ECHA (European Chemicals Agency). LOLI. Supplier information. datasheet

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).  
Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

	<b>SAFETY DATA SHEET</b>	Page : 15 / 15
		Revision nr : 1.0
	<b>ANYCUBIC Tough Resin Ultra</b>	Issue date : 21/09/2023
		Supersedes :

Skin Sens. 1	Skin sensitisation, Category 1
--------------	--------------------------------

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.