

SMART INDUCTOR 5000 DELUXE



- Induction heater for fast and simple removal operations of vehicle parts. Supplied with Heat Twister (10V M8/M10 e 14V M12/M14), Metal Releaser, Super Remover, Glass Genius, Wonder Pen II, Pad Inductor accessories, 3 levers and remote control.
- Intelligent and fully automatic intensity adjustment (Smart Power) using an innovative AutoCheck micro-processor system.
- Digital, user friendly panel.
- Automatic and manual mode.

TECHNICAL DATA

CODE	865012	MAX ABSORBED POWER	2,4 kW	PROTECTION DEGREE	IP21
SINGLEPHASE MAINS VOLTAGE	200 - 240 V	HEATING FREQUENCY	35 - 100 kHz	DIMENSIONS (LxWxH)	39 x 26 x 23 cm
MAINS FREQUENCY	50 / 60 Hz	MAX HEATING POWER	2,3 kW	WEIGHT	13,6 kg

ON REQUEST ACCESSORIES

INDUCTION ACCESSORIES

801406 SUCTION CUP

DENT PULLING ACCESSORIES

804068 KIT 10 PCS TEFLON WEDGES

804070 MAGNETIC TAP DOWN

804071 KIT 2 MAGNETIC TAP DOWN 100-140MM

804455 DENT REPAIR CORDLESS LED LAMP

TROLLEYS AND ACCESSORIES

803084 TROLLEY - AMERICA

DESCRIPTION

Induction heating system that is an intelligent solution for speeding up and simplifying the removal of glued (windows, rear windows, plastic parts, stickers, glass roofs, interior and exterior trims, etc.) or blocked (bolts, bearings, gears, etc.) parts from vehicles as well as for repairing hail dent.

It is particularly suitable for vehicle bodies, and guarantees greatly reduced intervention times.

It adjusts its intensity in an intelligent and completely automatic manner (Smart Power) using an innovative AutoCheck microprocessor system.

Using the principle of electromagnetic induction, it can transfer a large amount of heat to a specific area (Smart Protection) in just a few seconds.

In this way it does not damage glass, rubber, plastic and painted surfaces in the area being worked on, or even in the surrounding areas.

For maximum practicality and operator safety, it activates automatically (Smart Activation) near the area in which it has to work.

Features:

- intelligent control with Auto-check system;
- user-friendly digital panel;
- automatic and manual mode;
- activation and correct operation signals;
- pushbutton control for glass remover and confined-spacer remover;
- foot control.

Supplied complete with: Heat Twister (10V M8/M10 and 14V M12/M14), Metal Releaser, Super Remover, Glass Genius, Wonder Pen II, Pad Inductor and 3 levers.

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



CERTIFICATE