



ALGINE DOPPIO

SLI035093NW_PW

LED panel ALGINE DOPPIO, with a power of 40 W, high light efficacy 150 lm/W. It is made of high-quality components, supported by a 5-year warranty. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Narrow beam angle 80° gives directional light so that selected objects or surfaces can be better exposed. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.



Power	40 W
Colour temperature	4000 K
Beam angle	80 °

Voltage	230 V
Colour of light	Neutral white
Degree of protection (IP)	IP20

Technical data

Code	SLI035093NW_PW
Power	40 W
Nominal current	175 mA
Voltage	230 V
Energy consumption	40 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Manufacturer of power supply	SPECTRUM
Power factor	0.970000
Useful luminous flux*	6000 lm (360°)
Luminous flux**	4000 lm (360°)
Lamp efficacy	150 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	80 °
RA	>80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	30000
Housing material	Aluminum/Plastic
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	595x595x35 mm
Mounting hole	575x575mm mm
For use	Inside
Assembly method	On the ceiling, Recessed
Application	INT
Certified by the National Institute of Hygiene	Yes
Made in	PL
Other	zawiera 2 źródła św. fi use=3000 20W NW ,

Logistics data

Bulk packaging	5 pcs.
Quantity per pallet	70 pcs.
Gross weight (1 pcs.)	3.2 kg

Related documents

 User manual Declaration of Conformity Photometric file

