



# CorePro LEDcapsule MV



# CorePro LEDcapsule 1.9-25W ND G9 827

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

#### **Product data**

General Information	
Cap-Base	G9
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	320 degree(s)
Luminous Flux	220 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	115 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power Consumption	1.9 W
Lamp Current (Nom)	17 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	92 <i>°</i> C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	G9


Datasheet, 2025, April 24 data subject to change

# CorePro LEDcapsule MV

Net Weight (Piece)	0.006 kg
Approval and Application	
Energy Efficiency Class	E
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	1932582
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as pe	er 1
EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C
Application Conditions	
can it be used in closed luminaires	No


Product Data		
Order product name	CorePro LEDcapsule 1.9-25W ND GS	
	827	
Full product name	CorePro LEDcapsule 1.9-25W ND G9	
	827	
Full product code	872016930181800	
Order code	929003790502	
Material Nr. (12NC)	929003790502	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8720169301818	
Numerator - Packs per outer box	12	
EAN/UPC - Case	8720169301825	

## Dimensional drawing




Product	D	С
CorePro LEDcapsule 1.9-25W ND G9 827	14 mm	43 mm

### Photometric data




General uniform lighting - CorePro LEDcapsule 1.9-25W ND G9 827



Spectral Power Distribution Colour - CorePro LEDcapsule 1.9-25W ND G9 827


# CorePro LEDcapsule MV


#### Photometric data



Light Distribution Diagram - CorePro LEDcapsule 1.9-25W ND G9 827

## Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDcapsule 1.9-25W ND G9 827



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.