


FISA TEHNICA

Sa bransament electrofuziune

Categorie: Fitinguri electrofuziune Teuri si sei bransament electrofuziune



Cod: 495804

- Material : PE100 virgin , PE100RC virgin , culoare neagra
- Compatibilitate material : PE100 , PE100RC , PE80 , PEX
- Presiuni de lucru : PN10 Gaz , PN16 Apa (PE100 SDR11)
- Durata viata : minim 50 ani
- Respecta prevederile EN1555 si EN12201 respectiv ISO4437 si ISO4427
- Fabricate prin injectie in matrite
- Conectori sudare 4 mm
- Martori sudura incorporati

d mm	d1 mm	B mm	Dt mm	H1 mm	L mm	LS mm	Presiune de lucru Gaz	Presiune de lucru Apa	Tevi	Greutate g	Buc/punga	Buc/cutie
63	40	100	-	78	118	66	PE100 SDR 11	PN 16	SDR 7 to SDR 11	400	1	40
63	50	100	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 11	430	1	40
63	63	100	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 11	460	1	40
63	32	100	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 11	390	1	56
75	32	117	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 11	430	1	48
75	40	117	-	78	118	66	PE100 SDR 11	PN 16	SDR 7 to SDR 11	450	1	36
75	50	117	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 11	470	1	32
75	63	117	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 11	520	1	32
90	90	139	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	930	1	15
90	63	126	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	610	1	24

FISA TEHNICA

90	50	126	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 17	550	1	32
90	40	126	-	78	118	68	PE100 SDR 11	PN 16	SDR 7 to SDR 17	530	1	32
90	32	126	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 17	520	1	32
110	32	148	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 17	590	1	24
110	40	148	-	78	118	68	PE100 SDR 11	PN 16	SDR 7 to SDR 17	600	1	24
110	50	148	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 17	630	1	20
110	63	148	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	660	1	20
110	90	162	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	950	1	18
125	32	162	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 17	630	1	24
125	40	162	-	78	118	68	PE100 SDR 11	PN 16	SDR 7 to SDR 17	640	1	20
125	50	162	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 17	670	1	20
125	63	162	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	700	1	16
125	90	169	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	950	1	18
140	90	174	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	970	1	16
140	63	180	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	740	1	16
140	40	180	-	78	118	68	PE100 SDR 11	PN 16	SDR 7 to SDR 17	680	1	16
140	32	180	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 17	660	1	24
140	50	180	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 17	710	1	16
160	32	200	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 17	740	1	16
160	40	200	-	78	118	68	PE100 SDR 11	PN 16	SDR 7 to SDR 17	760	1	16
160	50	200	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 17	780	1	16
160	63	200	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	800	1	16
160	90	176	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	960	1	16
180	32	219	-	59	118	49	PE100 SDR 11	PN 16	SDR 7 to SDR 17	800	1	16
180	40	219	-	78	118	68	PE100 SDR 11	PN 16	SDR 7 to SDR 17	800	1	12
180	50	219	-	93	118	82	PE100 SDR 11	PN 16	SDR 7 to SDR 17	830	1	12
180	63	219	-	94	118	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	890	1	12
180	90	182	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	960	1	15
200	90	202	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	900	1	15
200	63	202	-	102	176	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	860	1	15
225	63	227	-	102	176	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	880	1	15

FISA TEHNICA

225	90	227	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	980	1	15
250	63	252	-	102	176	85	PE100 SDR 11	PN 16	SDR 7 to SDR 17	970	1	15
250	90	252	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	1070	1	15
280	90	282	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	990	1	10
280-400	90	305	16	115	300	102	PE100 SDR 11	PN 16	SDR 7 to SDR 17	1510	1	7
280-400	110	305	16	117	300	104	PE100 SDR 11	PN 16	SDR 7 to SDR 17	1650	1	7
280-400	125	305	16	110	300	119	PE100 SDR 11	PN 16	SDR 7 to SDR 17	1760	1	6
280-400	160	305	16	132	300	119	PE100 SDR 11	PN 16	SDR 7 to SDR 17	2170	1	6
315	90	317	-	105	176	90	PE100 SDR 11	PN 16	SDR 7 to SDR 17	1010	1	15
450-800	90	315	16	117	300	105	PE100 SDR 11	PN 16	SDR 7 to SDR 26	1600	1	7
450-800	110	315	16	117	300	105	PE100 SDR 11	PN 16	SDR 7 to SDR 26	1600	1	7
450-800	125	315	16	117	300	109	PE100 SDR 11	PN 16	SDR 7 to SDR 26	1740	1	7
450-800	160	315	16	130	300	115	PE100 SDR 11	PN 16	SDR 7 to SDR 26	2020	1	6